PCT210831






Item no. PCT210831-0901

General Product Information

Color options

Dimensions LxWxH 34'4"x39'11"x21'4"
Age group 5 - 12
Play capacity (users) 50





WOW! The Palace Giant L's high climbbalance-slide-meet features attract children from afar. The Giant is a unique variety of speedy sliding and gliding, gentle swaying, and not least, challenging climbing activities. The see through tower is a meandering framework for climbing that promotes thrill and cooperation. This guarantees vigorous play over and over. The open and closed slide, the fireman's pole, and banister bars offer fast rides, a ton of fun, and stimulating social-emotional skills, such as self-regulation and empathy. The balance bridge and pipe climber add thrill to the open towers and stimulate cross-coordination and the senses of balance and space. Play shells, talking tube, hammock,

and tic-tac-toe create an inviting ground level space that adds opportunities for all to make friends in play.

PCT210831





Wackle bridge

Physical: sense of balance and space, and training of posture. Important for being able to sit still. Social-Emotional: cooperation, turntaking and friendly competition on the plates.







Physical: sliding develops spatial awareness and the sense of balance. Social-Emotional: the height ensures extra speed and thrill. Empathy stimulated by turn-taking and consideration of others. Feeling of security when stopping on extra long slide mouth.



Fireman's pole

Physical: coordination is supported when going down, as well as arm and core muscles. Landing strengthens bone density, which is built for life in early childhood. Social-Emotional: turn-taking and risk-taking.





Transparent panels with graphic





Social-Emotional: the see-through panel makes it possible to watch and contact friends at ground level while up high. Cognitive: the see through-effect adds a feeling of thrill when used up high. The graphic suggests a theme and supports dramatic play, which stimulates language and communication skills.





Physical: the swaying movement stimulates the sense of balance, necessary to sit still on a chair. Social-Emotional: meeting, taking a break and turn-taking are supported, skills necessary to learn how to avoid conflicts.



Movable hammock

position of hammock.



Physical: sense of balance when swaying,

pushing friends gently back and forth, turn-

taking. Creative: changing direction and

or seated. Social-Emotional: meeting,

body pressure when lying. Support users lying







Banister bars

Physical: coordination is supported when going down, as well as arm and core muscles. Landing strengthens bone density, which is built for life in childhood. Social-Emotional: turn-taking and risk-taking.





PCT210831



10 Years

10 Years

10 Years

Lifetime



Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of a core produced from 100% recycled material.



All decks are supported by uniquely designed low-carbon aluminum profiles with multiple attachment options. The grey-colored molded decks are made of 75% post-consumer ocean waste PP material with a non-skid pattern and texture surface.



The main posts have an alloy with improved tensile and yield strength to ensure superior structural integrity of the high towers. The posts has hot dip galvanized base and powder coated top finish which ensure long lifetime.



PP Decks

Ropes & nets

Steel post HDG

Spare Parts Availability

Max. fall height 9'4" Safety surfacing area 1413ft² Total installation time 164.7 Excavation volume 19.24yd3 8.57yd3 Concrete volume Footing depth (standard) 2'11" Shipment weight 6821lbs Anchoring options In-ground Surface **Warranty Information** FcoCore HDPF Lifetime

Item no. PCT210831-0901
Installation Information



High-quality polycarbonate with a thickness of 15mm. The graphic prints are added by a unique multi-layer print process where the inner layer is the image and outer transparent layer functions as protection. Both PC panel and the water-based lacquer are UV stabilized to prevent fading.



Fully welded steel frame with 45° cross welded steel grid of round steel pins with a diameter of 4mm. The airflow panel contributes to the overall structural integrity of the GIANT towers.



Curved and straight tunnel slide of either PE or stainless-steel material and supported by muliple steel rods to a center steel post. The tunnel slides are designed with perfect curve and inclination for a playful ride.

Elevated activities 15	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	9	5	3
Required	8	5	3

ASTM F1487 compliant

Sustainability Data

PCT210831





Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
PCT210831-0901	7,356.28	2.80	54.62

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Play systems



Data version no. 2023-10-05

The $\mathrm{CO_2}$ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Play systems" represented by item no.: PCM200321-0950.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

200mm

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of ${\rm CO_2}$ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023


By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000


PCT210831



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





Click to see TOP VIEW

Click to see SIDE VIEW