

PCM004021









The School Play Panel is a richly stimulating play invitation. The multiple, varied play events will make children return to the panels again and again. The play panel is high to make it inclusive of more ages and abilities. The blackboard panel with abacus and peephole is great for training fine motor skills and invites playing school. Dramatic play is a great

stimulation of language and communication skills. The Tic-Tac-Toe panel appeals to older children who train strategic thinking when playing games with rules. The Faces and Weather panel spurs group play and invite conversations with its two-sidedness. When naming, recognizing and contextualizing the weather, children develop life skills such as sequencing and time of year. The faces stimulate theory of mind: that others may have different feelings.





PCM004021









Faces and weather panel Social-Emotional: spurs group play and conversations with its two-sidedness. Cognitive: stimulates theory of mind: that others may have different feelings. Stimulates the understanding of symbols and facial expressions as symbols for emotions. Naming, reporting, recognizing and contextualizing the weather symbols teaches children life skills such as sequencing and time of vear.









Peepholes

Social-Emotional: invites parallel play, looking through holes at each other from each side. Cognitive: understanding of object permanence.





Number and shape panel Cognitive: stimulate children's language skills and knowledge of numbers and geometric shapes.





Social-Emotional: cooperating from both

sides on running rings up and down trains

turn-taking and cooperation skills. Cognitive:

figuring out how to turn the ring to make it fit

the holes and move up or down trains logical

skills. Creative: leaving rings in new positions

leaves a mark in the playground.









Tic-tac-toe panel

left in new positions.



Social-Emotional: stimulates communication

and turn-taking skills. Cognitive: support

Creative: leaving marks when tumblers are

rules understanding, strategic thinking.











Cognitive: supports understanding of measures.







Chalkboard

Social-Emotional: the width of the blackboard caters for groups of children cooperating and sharing ideas. Creative: drawing and leaving your mark stimulates creative thinking.

PCM004021





Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.



Main posts with hot dip galvanized steel footing are available in different materials: Pressure impregnated pine wood posts. Pre-galvanized inside and outside with powder coated top finish steel posts. Lead free aluminum with color anodized top finish. Greenline TexMade posts of 95% post-consumer recycled PE and textile waste.



KOMPAN GreenLine versions are designed with ultimate environmentally friendly materials with lowest possible CO2e emission factor such as EcoCoreTM panels of +95% post consumer recycled ocean waste.

| Installation Information | | | | |
|--------------------------|---------------------|--|--|--|
| Max. fall height | 0 cm | | | |
| Safety surfacing area | 21.0 m ² | | | |
| Total installation time | 6.7 | | | |
| Excavation volume | 0.13 m³ | | | |
| Concrete volume | 0.00 m ³ | | | |
| Footing depth (standard |) 85 cm | | | |
| Shipment weight | 154 kg | | | |
| Anchoring options | In-ground ✓ | | | |

Item no. PCM004021-0901

| Warranty Information | | | | |
|--------------------------|----------|--|--|--|
| EcoCore HDPE | Lifetime | | | |
| Hot dip galvanised steel | Lifetime | | | |
| Movable parts | 2 years | | | |
| Post | 10 years | | | |
| Spare parts guaranteed | 10 years | | | |



Sustainability Data

PCM004021





| Cradle to Gate A1-A3 | Total CO₂ emission | CO₂e/kg | Recycled materials |
|----------------------|-----------------------|------------|--------------------|
| | kg CO₂e | kg CO₂e/kg | % |
| PCM004021-0950 | 166.42 | 1.36 | 80.79 |
| PCM004021-0901 | 197.29 | 1.83 | 73.39 |

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Themed play systems



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Themed play systems" represented by item no.: MSC641100-3717P.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

misi

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of ${\rm CO_2}$ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000





PCM004021



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





Click to see SIDE VIEW