# Truck

KPL502



Item no. KPL502-0612				
General Product Information				
Dimensions LxWxH	4'4"x3'4"x4'3"			
Age group	2 - 5			
Play capacity (users)	6			
Color options	•			



The Truck signals play loud and clear and attracts infants and toddlers again and again. The cute rounded shapes and the vibrant colors attract attention. The manipulative steering wheel, gear and yellow headlight spheres can be handled and turned again and again. The car has three compartments, two of which are relatively open to the front and rear. They both offer ample seating, and the rear also features two tinkering tables. The themes of traffic and cars are well-known to toddlers. They take a starting point in the toddlers' immediate world and open the scope of going into the wider world. Dramatic play scenarios such as visiting family are played out repeatedly in the Truck. This is an important

80

0

contribution to the development of language skills and literacy.



## Truck

KPL502





**Turning wheel Cognitive:** the manipulative item stimulates cause and effect understanding.





#### Theme Cognitive: suggests a theme and supports dramatic play, which stimulates language and communication skills.



Truck bed Social-Emotional: the truck bed allows for more children to be together and share. Important life skills like consideration and turntaking are built.




Bench Social-Emotional: gathering, cooperating or taking a break from play all train social skills.

## Truck

KPL502







Panels of 19mm EcoCore<sup>™</sup>. EcoCore<sup>™</sup> is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of a core produced from 100% recycled material.

Foot support is made of HPL with a thickness of 17.8mm with a very high wearing strength and a unique KOMPAN non-skid surface texture.

Item no. KPL502-0612			
Installation Information			
Max. fall height		1'9"	
Safety surfacing area		216ft <sup>2</sup>	
Total installation time		6.1	
Excavation volume		0.2yd³	
Concrete volume		0yd³	
Footing depth (standard)		2'0"	
Shipment weight		321lbs	
Anchoring options	In-ground	~	
	Surface	~	
Warranty Information			
EcoCore HDPE	L	ifetime	
HPL decks	15	5 Years	
Spare Parts Availability	10	) Years	

Elevated activities <b>0</b>	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	0	1	1
Required	0	1	1



### **Sustainability Data**

KPL502





Cradle to Gate A1-A3	Total CO₂ emission	CO₂e/kg	Recycled materials	
	kg CO₂e	kg CO₂e/kg	%	
KPL502-0612	204.48	1.86	49.98	

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))







\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area



\* Max fall height | \*\* Total height





Click to see TOP VIEW

5 / 11/17/2024