


Super Combi 2, Sorvegliato

FSW252

KOMPAN
Let's play



Codice articolo FSW25200-0900

Informazioni generali prodotto

Dimensioni (LxLxA) 750x746x325 cm

Età d'uso 13+

Capacità di gioco 16

Opzioni colori 



Il Super Combi 2 è una struttura estremamente versatile. Ha una perfetta combinazione di elementi alti, bassi e dinamici. Le attività sopraelevate includono la barra a serpente, la scala aerea e gli anelli. La fune da arrampicata e il bersaglio sono divertenti e funzionali, mentre le Mag Bells offrono un allenamento dinamico della forza. Le parallele universali

stimolano la creatività nell'esercizio e possono essere utilizzate direttamente anche da utenti di carrozzina. Le piattaforme integrate per scalare possono essere utilizzate per esercizi di forza, salto e cardio, creando un ottimo setup per allenamenti di gruppo più estesi. I prodotti sorvegliati sono destinati solo a aree recintate o sorvegliate, come club

fitness con sorveglianza o comunità recintate.



Super Combi 2, Sorvegliato

FSW252



I pali (Ø101,6 x 2 mm) sono realizzati in acciaio al carbonio prezinco e verniciato a polvere, una grande protezione per tutte le condizioni.

The snake ladder is made of hot-dip galvanized s235 steel with the following dimensions Ø38 x 4mm. The steel surfaces are hot dip galvanised inside and outside with lead free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.



The rings are made of molded polycarbonate and TPE to ensure a good grip and soft surface. The rings are rotatable and allows for a large variety of exercises.



The top plate for the jumping platform is made of Ekogrip® panels that consist of a 15 mm polyethylene bottom layer, with a 3 mm top-layer of thermoplastic rubber with a non-skid effect for safe jumping exercises under all-weather circumstances.



The Dip-Station is designed with inclusive in mind, allowing wheelchair users to access the bars at either end. The two bars are placed at two different widths and heights – one narrow and high and one wide and low to allow for training of different individuals and muscle groups.

Codice articolo FSW25200-0900

Informazione installazione

Max. altezza di caduta	200 cm
Superficie di sicurezza	66,4 m ²
Tempo d'installazione totale	15,7
Volume di scavo	1,25 m ³
Volume di calcestruzzo	0,75 m ³
Profondità di base (standard)	90 cm
Peso della spedizione	954 kg
Opzioni ancoraggio	Interrato ✓ Superficie ✓

Garanzie

EcoCore	Garanzia a vita
Acciaio zincato	Garanzia a vita
Parti mobili	2 anni
Garanzia pezzi di ricambio	10 anni
Acciaio	10 anni

Sustainability Data

FSW252



Cradle to Gate A1-A3	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
FSW25200-0900	1.476,19	2,45	57,32

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S
 C.F. Tietgens Boulevard 32C
 DK-5220 Odense SØ
 Denmark



Verification of CO₂ calculation of: Fitness



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Fitness" represented by item no.: FAZ10100-0900.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
 www.bureauveritas.dk
 +45 7731 1000





Super Combi 2, Sorvegliato

FSW252

Altezza di caduta massima | Altezza totale | Superficie di sicurezza

Altezza di caduta massima | Altezza totale



[Fai clic per visualizzare il rapporto VISTA SUPERIORE](#)

[Fai clic per visualizzare il rapporto VISTA LATERALE](#)