CometTail 40

FRE3012






Item no. FRE3012-3417DT

General Product Information

Dimensions LxWxH 4'10"x3'2"x1'4"

Age group 3+

Play capacity (users)
Color options








CometTail 40

FRE3012









The significant components are made of 100% recyclable PE made from 33% post-consumer materials. They are molded in one piece with a minimum 5mm wall thickness to ensure high durability in all climates worldwide.



KOMPAN GreenLine versions are designed with the most environmentally friendly materials with the lowest possible CO2e emission factor such as EcoCoreTM panels of 100% post-consumer recycled ocean waste.

Item no. FRE3012-3417DT		
Installation Information		
Max. fall height		0'0"
Safety surfacing area		Oft ²
Total installation time		1.9
Excavation volume	0.	38yd³
Concrete volume	0.	13yd³
Footing depth (standard)		2'0"
Shipment weight		63lbs
Anchoring options	In-ground	~
	Surface	~
Warranty Information		
Hollow PE Parts	10 Years	
Hot dip galvanized steel	Lifetime	
Spare Parts Availability	10 Years	

Sustainability Data

FRE3012





C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Park



Data version no. 2023-10-05

The $\mathrm{CO_2}$ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Park" represented by item no.: PAR4070-0001.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

misi


Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000





The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))


CometTail 40


FRE3012



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





Click to see TOP VIEW

Click to see SIDE VIEW