


Daisy

KPL110



Item no. KPL110-0411

General Product Information


| | |
|-----------------------|---------------|
| Dimensions LxWxH | 100x100x65 cm |
| Age group | 2+ |
| Play capacity (users) | 4 |
| Colour options | ● |



WOW! It's playtime for toddlers. The little ones will be thrilled by the social and physical potential of the Daisy. Up to 4 children can seesaw, play, and cooperate at the same time, making this a highly versatile play unit, taking up little space and appealing to toddlers again and again. Apart from providing great play, the Daisy supports fundamental areas of a child's

development and learning through play: Important motor skills such as balance and proprioception get trained when children rock, pushing their feet, and pulling their arms. While rocking together, toddlers additionally train important social-emotional skills such as cooperation. The logic of movement sequence trains the child's thinking skills. Daisy is truly

playful learning.




Daisy

KPL110



Handhold

Physical: opens more hold positions and ensures good grip, necessary for rocking intensely which trains hand and arm muscles.



Rocking together

Social-Emotional: the possibility of rocking two together trains cooperation skills and consideration of others.



Rocking spring

Physical: response to movements adds to spatial awareness and sense of balance which are fundamental motor skills.

Cognitive: trains the understanding of cause and effect: when I move my body, the spring responds with movement.

Daisy

KPL110



Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco-friendly material, which is not only recyclable after use but also consists of a core produced from 100% recycled material.

KOMPAN's springs are manufactured from high-quality spring steel. The springs are cleaned by phosphating before being painted with epoxy primer and polyester powder coating. The springs are fixed by unique anti-pinch fittings for maximum safety and longevity.

The springs are fixed by unique anti-pinch fittings for maximum safety and longevity.



Foot support is made of HPL with a thickness of 17.8mm, which is very high wearing and also includes unique KOMPAN non-skid surface texture.

Handholds are made of injection moulded high-quality nylon (PA6) which has good wearing and impact strength.


The springs are fixed by unique anti-pinch fittings for maximum safety and longevity, and the springs have a PUR insert for stabilising the spring.

| Item no. KPL110-0411 | |
|--------------------------|--------------------------|
| Installation Information | |
| Max. fall height | 60 cm |
| Safety surfacing area | 9.6 m ² |
| Total installation time | 2.0 |
| Excavation volume | 0.15 m ³ |
| Concrete volume | 0.00 m ³ |
| Footing depth (standard) | 45 cm |
| Shipment weight | 38 kg |
| Anchoring options | In-ground ✓ Surface ✓ |
| Warranty Information | |
| EcoCore HDPE | Lifetime |
| Handle | 10 years |
| HPL Seat | 15 years |
| Spare Parts Guarantee | 10 years |
| Springs | 5 years |



Sustainability Data

KPL110



| Cradle to Gate A1-A3 | Total CO ₂ emission | CO ₂ e/kg | Recycled materials |
|----------------------|--------------------------------|-------------------------|--------------------|
| | kg CO ₂ e | kg CO ₂ e/kg | % |
| KPL110-0411 | 100.04 | 2.75 | 27.66 |

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S
 C.F. Tietgens Boulevard 32C
 DK-5220 Odense SØ
 Denmark



Verification of CO₂ calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: GXY916012-3417.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.


Publication date: 30. October 2023

By Bureau Veritas HSE
 www.bureauveritas.dk
 +45 7731 1000




* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



KPL110
*60cm
**65cm
***9.6m²



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)