Daisy

KPL110





WOW! It's playtime for toddlers. The little ones will be thrilled by the social and physical potential of the Daisy. Up to 4 children can seesaw, play, and cooperate at the same time, making this a highly versatile play unit, taking up little space and appealing to toddlers again and again. Apart from providing great play, the Daisy supports fundamental areas of a child's

development and learning through play: Important motor skills such as balance and proprioception get trained when children rock, pushing their feet, and pulling their arms. While rocking together, toddlers additionally train important social-emotional skills such as cooperation. The logic of movement sequence trains the child's thinking skills. Daisy is truly playful learning.



Item no. KPL110-0411

Dimensions LxWxH 100x100x65 cm
Age group 2+
Play capacity (users) 4
Colour options













Daisy

KPL110






Handhold



Physical: opens more hold positions and ensures good grip, necessary for rocking intensely which trains hand and arm muscles.







Rocking together Social-Emotional: the possibility of rocking two together trains cooperation skills and consideration of others.







Rocking spring

Physical: response to movements adds to spatial awareness and sense of balance which are fundamental motor skills.

Cognitive: trains the understanding of cause and effect: when I move my body, the spring responds with movement.

Daisy

KPL110










Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco-friendly material, which is not only recyclable after use but also consists of a core produced from 100% recycled material.

KOMPAN's springs are manufactured from highquality spring steel. The springs are cleaned by phosphating before being painted with epoxy primer and polyester powder coating. The springs are fixed by unique anti-pinch fittings for maximum safety and longevity. The springs are fixed by unique anti-pinch fittings for maximum safety and longevity.


Item no. KPL110-0411				
Installation Information				
	Max. fall height		60 cm	
	Safety surfacing area	!	9.6 m²	
	Total installation time		2.0	
	Excavation volume	0	.15 m³	
	Concrete volume	0	.00 m³	
	Footing depth (standard)		45 cm	
	Shipment weight		38 kg	
	Anchoring options	In-ground	•	
		Surface	•	
Warranty Information				
	EcoCore HDPE	Li	fetime	
	Handle	10	years	
	HPL Seat	15	years	
	Spare Parts Guarantee	10	years	
	Springs	5	years	
	·	·		







Handholds are made of injection moulded highquality nylon (PA6) which has good wearing and impact strength.



The springs are fixed by unique anti-pinch fittings for maximum safety and longevity, and the springs have a PUR insert for stabilising the spring.



Sustainability Data

KPL110





C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: $\mathrm{GXY916012\text{-}3417}$.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:


misi

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023






The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



*60cm *65cm **9.6m



Click to see TOP VIEW

Click to see SIDE VIEW