
Trouper with Shading

PCE105933



Item no. PCE105933-0903			
General Product Information			
Dimensions LxWxH	15'3"x18'1"x14'5"		
Age group	2 - 5		
Play capacity (users)	20		
Color options			





The Trouper offers a playful way to make friends: with varied play for all, children will find play activities on the inside and outside of the Trouper, making them play again and again. The accessible stairway has a Tic-Tac-Toe rules play panel, as well as a hammock on the side to facilitate ground level play interactions. From the elevated level varied slides provide thrilling heights and speeds alone or with a friend. Sliding trains the sense of balance, which is fundamental for all other motor skills and enhances children's self-efficacy and their feeling of achievement. Looping the climbing pole or the stairway and the two slides trains cardio and muscles and make for long play sessions with friends.

Trouper with Shading







Climbing pole Physical: cross coordination and muscle strength are trained. Social-Emotional: turntaking and cooperation.





Faces and weather panel Social-Emotional: spurs group play and conversations with its dual-sidedness. Cognitive: stimulates theory of mind: that others may have different feelings. Stimulates the understanding of symbols and facial expressions as symbols for emotions. Naming, reporting, recognizing and contextualizing the weather symbols teaches children life skills such as sequencing and time of vear.

KOMP

Let's play



Tic-tac-toe panel

Social-Emotional: stimulates communication and turn-taking skills. Cognitive: support rules understanding, strategic thinking. Creative: leaving marks when tumblers are left in new positions.



Hammock

Physical: coordination and sense of balance when swaying. Social-Emotional: meeting, pushing friends gently back and forth, turntaking. Cognitive: for toddlers cause and effect understanding.



Accessible stairway

Physical: climbing the accessible stairway is for all and supports cross coordination as well as arm and leg muscles. For young children, walking stairs and alternating feet is developed. Social-Emotional: room for active breaks and adult helpers. An inclusive space.




Double slide

Physical: sliding develops spatial awareness and a sense of balance. Furthermore, the core muscles are trained when sitting upright going down. Social-Emotional: invites socializing, supports parent-child and peer-to-peer play. Cognitive: young children train their understanding of space, speed and distances when sliding down guickly.



Trouper with Shading

PCE105933



Panels of 19mm EcoCore[™]. EcoCore[™] is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of a core produced from 100% recycled material.




The ELEMENTS roofs are made of recyclable PE made from 33% post consumer recycled materials with a minimum wall thickness of 5 mm to ensure high durability in all climates around the world. The steel pipes are hot dip galvanised inside and outside for maximum durability.



Sails of commercial 95 high density PE knitted specially for sun-shade structures. The sails are treated with UV stabilizers to ensure a long lifetime. The sails are supported by a hot dip galvanized steel frame and tightened by stainless steel devices.

Item no. PCE105933-0903				
Installation Information				
Max. fall height		3'10"		
Safety surfacing area	:	590ft ²		
Total installation time		24.4		
Excavation volume	0.	85yd³		
Concrete volume	0.	09yd³		
Footing depth (standard)		2'11"		
Shipment weight	16	77lbs		
Anchoring options	In-ground	~		
	Surface	~		
Warranty Information				
EcoCore HDPE	Lif	etime		
Post	10	Years		
PP Decks	10	Years		
Spare Parts Availability	10	Years		
Sun shading sails	2	Years		



The main posts are made of high quality pregalvanized steel with powder coated top finish. Post tops are closed with caps of UV stabilized nylon (PA6). The grey colored molded decks are made of 75% post-consumer waste PP material with a non-skid pattern and texture surface. All decks are supported by unique designed low-carbon aluminum profiles with multiple attachment options.



The slides are available in either molded PE in different colors or in full stainless steel AISI304 t= 2mm.



All steel activities has a unique surface treatment of hot dip galvanized base and powder coated top finish to provide durable products with long lifetime for all environments.

	Elevated activities 5	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
	Present	5	2	2
	Required	3	2	2

ASTM F1487 compliant

Sustainability Data

PCE105933



Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
PCE105933-0903	1,598.66	2.62	50.34

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark







Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Play systems" represented by item no.: PCM200321-0950.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

maiz

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



Data is subject to change without prior notice.

+45 7731 1000

By Bureau Veritas HSE


www.bureauveritas.dk




PCE105933



* Max fall height | ** Total height





PCE105933

Click to see TOP VIEW

Click to see SIDE VIEW

5 / 06/28/2024