


Man-O-War

PCM113221



Item no. PCM113221-0901	
General Product Information	
Dimensions LxWxH	963x997x561 cm
Age group	4+
Play capacity (users)	53
Color options	



The Man-O-War attracts the play pirate in any child that beholds it. The vast variety of activities offers multi-level fun play for everyone, again and again. Under deck a number of play stations attract children for dramatic play and socialising. A variety of climbing nets provide challenging access to get on board. Special design features enrich the

play, and support children's physical development. For example, the swaying movements of the hammock help children to develop their sense of balance. The slide and the fireman's pole both support posture and balance. The track ride adds immense thrill and supports children's proprioception, their understanding of their body movements. The

many lookout points and tactile details ensure hours of play for younger children and older, for great physical and imaginative fun.

Man-O-War

PCM113221



Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.



Main posts with hot dip galvanised steel footing are available in different materials: Pressure impregnated pine wood posts. Pre-galvanised inside and outside with powder coated top finish steel posts. Lead free aluminium with colour anodised top finish.



All decks are supported by unique designed low-carbon aluminum profiles with multiple attachment options. The grey colored molded decks are made of 75% post-consumer waste PP material with a non-skid pattern and texture surface.

Item no. PCM113221-0901

Installation Information

Max. fall height	198 cm
Safety surfacing area	96.0 m ²
Total installation time	98.8
Excavation volume	2.40 m ³
Concrete volume	0.62 m ³
Footing depth (standard)	90 cm
Shipment weight	2,157 kg
Anchoring options	In-ground ✓ Surface ✓



The slides can be chosen in different materials and colours: Straight or curved moulded PE slides in yellow or grey colour. Full stainless steel in on-piece design for more vandalism proof solutions.



Nets and ropes are made of UV-stabilised PA with inner steel cable reinforcement. The rope is induction treated in order to create a strong connection between steel and rope which leads to good wear resistance.




The hang-on puller is designed with a welded steel core and covered with low-density PE housing. The two hot dip galvanised steel handles are angled to provide the best possible ergonomic while gliding. The wheels of the puller are made of low noise TPU and installed with sealed ball bearings.



Sustainability Data

PCM113221




Cradle to Gate A1-A3

Total CO ₂ emission	CO ₂ e/kg	Recycled materials
kg CO ₂ e	kg CO ₂ e/kg	%
3,590.10	2.32	60.10

PCM113221-0901

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S
 C.F. Tietgens Boulevard 32C
 DK-5220 Odense SØ
 Denmark



Verification of CO₂ calculation of: Play systems



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Play systems" represented by item no.: PCM200321-0950.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
 www.bureauveritas.dk
 +45 7731 1000





Man-O-War

PCM113221

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



PCM113221

[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)