Square Pull Up Station Robinia

FRO218



13+




Item no. FRO21801-1001

General Product Information

Dimensions LxWxH 171x171x261 cm

Age group
Play capacity (users)

Colour options





The Square pull-up Station can be used in many ways and by multiple users at the same time. Exercises range from normal pull-ups to the most dynamic and advanced exercises, such as the Flying Monkey, where you fly from one bar to another. The pull-up Up Bars are made from solid steel and have a diameter of 32 mm. Ideal size for both men and women to

have a good grip. As the highest bar is connected at a height of 233 cm, everyone will be able to hang freely. To make sure that everyone can reach the pull-up bars, there are 2 stepping pods at different heights, and the pull-up station features a low bar, allowing wheelchair users to reach directly from their wheelchairs. The Robinia bars are made from

de-barked and sap-free Robinia trunks in various dimensions. Robinia is a native European wood species with high strength and natural durability in various climatic conditions. KOMPAN uses wood from FSC-certified sources.



Square Pull Up Station Robinia

FRO218



15 years

10 years



All organic Robinia products by KOMPAN are made of Robinia wood which is sourced from sustainable plantation farms. On request it can be supplied as FSC® Certified (FSC® C004450).




The Robinia wood can be supplied as untreated raw wood or painted with a brown coloured transparent pigment that maintains the golden wood colour of the wood.



All bars intended for pull ups are made of solid, ø32mm x 138m, hot-dip galvanised, S235JR steel bars. This diameter gives the right grip for all users.

Item no. FRO21801-1001				
Installation Information				
Max. fall height	13	3 cm		
Safety surfacing area	19.7 m²			
Total installation time	5.4 hours			
Excavation volume	0.7	′9 m³		
Concrete volume	0.24 m³			
Footing depth (standard)	100 cm			
Shipment weight	37	7 0 kg		
Anchoring options	In-ground ✓			
	Surface	~		
Warranty Information				
Galvanised Steel	Lifetime			



All of KOMPAN's fitness products are compliant with AS 4685:2021, ASTM F3101 & EN16630 Outdoor Fitness Standards. Load tests are performed to the specified load of 78kg per user. A product intended for one user is loaded with 420kg.



Robinia Wood

Spare Parts Guarantee

Sustainability Data

FRO218





C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Fitness



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Fitness" represented by item no.: FAZ10100-0900.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

misi

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of ${\rm CO_2}$ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000





Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	O₂e/kg Recycled materials	
	kg CO₂e	kg CO₂e/kg	%	
FRO21801-1001	128.46	0.48	7.44	

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))


Square Pull Up Station Robinia


FRO218



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





Click to see TOP VIEW

Click to see SIDE VIEW