Play Panel 3 - Learning

NRO615



Item no. NRO615-1001					
General Product Information					
Dimensions LxWxH	288x176x83 cm				
Age group	1+				
Play capacity (users)	10				
Color options					





The Learning Play Panel 3 is immensely intriguing for children thanks to the richly varied tactile details. The low bench counter in the middle invites meetings and sharing and makes a great point for playing workshop, a playground favorite. On the one side of the bench, gearing wheels and a funnel stimulate children's logical thinking skills. The wheels will turn each other's, and the funnel will transport materials through. To young children, this trains their understanding of object permanence: that items can appear out of sight but still be there. The play panels can be played from both sides, which invites social play and communication.






Play Panel 3 - Learning

NRO615



All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).



The Robinia wood can be supplied as untreated raw wood or painted with a brown coloured transparent pigment that maintains the golden wood colour of the wood.



There are Multiple footing options for all products: Surface anchoring with steel footings and expansion bolts. Wood in-ground or steel in-ground footings.

Item no. NRO615-1001				
Installation Information				
Max. fall height		0 cm		
Safety surfacing area	1	8.0 m²		
Total installation time		7.0		
Excavation volume	0	.50 m³		
Concrete volume	0	.00 m³		
Footing depth (standard)	1	100 cm		
Shipment weight		219 kg		
Anchoring options	In-ground	~		
	Surface	~		

KO



Panels of 19mm EcoCore[™]. EcoCore[™] is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.



The Xylophone music panel consist of HDPE

material in 19mm EcoCore[™]. The pipes are

consist of 2 Conga Drums with PP tubes and

top in colored ABS.

made of die cast aluminum specifically alloyed

for outdoor environments. The percussion panel

Membranes consist of friction-proof rubberized material of conveyor belt quality with excellent UV resistance. Embedded is a four-layered armouring made of woven polyester. The armouring and the two surface layers result in a total thickness of 9 mm.





Sustainability Data

NRO615






Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	Recycled materials	
	kg CO₂e	kg CO₂e/kg	%	
NRO615-1001	70.60	0.44	21.30	

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))




NRO615





* Max fall height | ** Total height





4 / 04/22/2024