Super Combi 3, Supervised

FSW253



The Super Combi 3 Gated has the same options as the standard Super Combi 3 but also has a connector for a battle rope, a connector for a boxing bag, and a station for barbell exercises. This item is intended for supervised or gated areas such as sports or fitness clubs, as these loose items do not satisfy safety standards for public places.
Supervised products are only for areas that are gated or fenced-off, like fitness clubs with supervision or gated communities.



| Item no. FSW25300-0900 | | | | |
|-----------------------------|----------------|--|--|--|
| General Product Information | | | | |
| Dimensions LxWxH | 589x548x325 cm | | | |
| Age group | 13+ | | | |
| Play capacity (users) | 19 | | | |
| Colour options | | | | |





Super Combi 3, Supervised

FSW253




The post is made of Ø101.6 x 2mm, pregalvanised carbon steel and powder coated which is a great protection solution for all climate conditions.







| Item no. FSW25300-0900 | | | | | |
|--------------------------|-----------|-------|--|--|--|
| Installation Information | | | | | |
| Max. fall height | 23 | 3 cm | | | |
| Safety surfacing area | 72 | .8 m² | | | |
| Total installation time | | 15.8 | | | |
| Excavation volume | 1.7 | 74 m³ | | | |
| Concrete volume | 1.(|)2 m³ | | | |
| Footing depth (standard) | ç | 00 cm | | | |
| Shipment weight | 9: | 33 kg | | | |
| Anchoring options | In-ground | ~ | | | |
| | Surface | ~ | | | |
| Warranty Information | | | | | |
| EcoCore HDPE | Life | etime | | | |
| Galvanised Steel | Life | etime | | | |
| Movable Parts | 2 | years | | | |
| Spare Parts Guarantee | 10 | years | | | |
| Steel | 10 . | vears | | | |
| Stool | 10 1 | voare | | | |
| Stool | 10 years | | | | |




| Installation Information | | | | |
|--------------------------|-------------|------|--|--|
| k. fall height | 233 | 3 cm | | |
| ety surfacing area | 72. | 8 m² | | |
| al installation time | | 15.8 | | |
| avation volume | 1.7 | 4 m³ | | |
| ncrete volume | 1.0 | 2 m³ | | |
| ting depth (standard) | 90 cm | | | |
| pment weight | 93 | 3 kg | | |
| horing options | In-ground 🗸 | | | |
| | Surface | ~ | | |
| Warranty Information | | | | |
| Core HDPE | Lifetime | | | |
| vanised Steel | Lifetime | | | |
| vable Parts | 2 years | | | |
| are Parts Guarantee | 10 y | ears | | |
| el | 10 years | | | |
| | | | | |

KOMP

Let's play

Sustainability Data

FSW253




| Cradle to Gate A1-A3 | Total CO₂ emission | CO₂e/kg | Recycled materials |
|----------------------|-----------------------|------------|--------------------|
| | kg CO₂e | kg CO₂e/kg | % |
| FSW25300-0900 | 1,413.19 | 2.36 | 58.27 |

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark







Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Fitness" represented by item no.: FAZ10100-0900.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



By Bureau Veritas HSE

www.bureauveritas.dk

+45 7731 1000




FSW253

* Max fall height | ** Total height | *** Safety surfacing area

900





* Max fall height | ** Total height

Click to see TOP VIEW

Click to see SIDE VIEW

4 / 09/13/2024