## MUGA, 12x24m, High 5m, Wood Look

FRE600203





Wood Plastic Composite (WPC) has the same texture and appearance as wood. It is maintenance-free and environmental friendly. WPC fits perfectly into a natural environment. The fully flat inside gives the best bounce experience when playing, this flat wall becomes a part of the game and means the game can flow whilst adding another dimension

that can challenge and develop players' tactical vision of the game. The 3 m x 2 m Multi Goal follows the goal size of FIFA Futsal and IHF Handball regulations. The basketball hoop is placed at the official NBA height of 305 cm, and has the official NBA size of 46 cm in diameter.

| Item no. FRE600203-0901     |                  |  |  |  |
|-----------------------------|------------------|--|--|--|
| General Product Information |                  |  |  |  |
| Dimensions LxWxH            | 2382x1390x503 cm |  |  |  |
| Age group                   | 3+               |  |  |  |
| Play capacity (users)       | -                |  |  |  |
| Colour options              |                  |  |  |  |





### MUGA, 12x24m, High 5m, Wood Look

FRE600203



10 years



The Wood Plastic Composite panels are made of 100% recycled fibre/wood powder and High Density Poly Ethylene (HDPE). With the dimensions of 860 x 110 x 30mm the boards are extremely strong.



All steel components are manufactured from carbon steel, welding's according EN ISO 5817 & Hot dip galvanised (HDG) according to ISO1461. This process ensures good protection in all circumstances.



The net is made of a Ø4mm black polypropylene, better known as Nylon, with a mesh size of 45 x 45mm and reaches till 5m high. The nets will keep all balls in the MUGA and retains the transparency.

| Item no. FRE600203-0901  |           |             |  |  |
|--------------------------|-----------|-------------|--|--|
| Installation Information |           |             |  |  |
| Max. fall height         | (         | cm          |  |  |
| Safety surfacing area    | 0.0       | 0 m²        |  |  |
| Total installation time  | !         | 93.0        |  |  |
| Excavation volume        | 2.8       | 6 m³        |  |  |
| Concrete volume          | 2.1       | 5 m³        |  |  |
| Footing depth (standard) | 85        | 5 cm        |  |  |
| Shipment weight          | 5,42      | 1 kg        |  |  |
| Anchoring options        | In-ground | •           |  |  |
|                          | Surface   | <b>&gt;</b> |  |  |
| Warranty Information     |           |             |  |  |
| EcoCore HDPE             | Life      | time        |  |  |
| HDG post                 | Life      | time        |  |  |



Each panel has 4 Thermoplastic Vulcanizates plugs connecting the panels to the posts. The plugs reduce the vibration and therefore reduce the noise level. The plugs will also simplify installation as the come with pre-assembled nuts.



KOMPAN Multi Use Games Areas (MUGA) are designed as a flexible system. With the configurator you can easily change size, height, panels, entrances and goals to create a MUGA that fits your environment, budget and purpose.



The WPC boards are attached to 70 x 45 x 3mm welded flanges with stainless steel M8 bolts, nuts and washers. These connections are not visible from the inside and create a strong and safe connection.



Spare parts guaranteed

## **Sustainability Data**

FRE600203





| Cradle to Gate A1-A3 | Total CO₂<br>emission | CO₂e/kg    | Recycled materials |
|----------------------|-----------------------|------------|--------------------|
|                      | kg CO₂e               | kg CO₂e/kg | %                  |
| FRE600203-0901       | 9,379.02              | 1.90       | 57.76              |

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

#### Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



### Verification of CO<sub>2</sub> calculation of: Sport



Data version no. 2023-10-05

The  $\mathrm{CO}_2$  calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Sport" represented by item no.: FRE600202-0901.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of  ${\rm CO_2}$  calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000




# MUGA, 12x24m, High 5m, Wood Look


FRE600203



\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height





Click to see TOP VIEW

Click to see SIDE VIEW