Playhut with Side, Gable & Desks





Item no. NRO414-1021		
General Product Information		
Dimensions LxWxH	180x163x158 cm	
Age group	1+	
Play capacity (users)	12	
Colour options		



Wow! This attractive playhut inspires children to play together in both creative and imaginative ways. The open-ended design encourages themed and imaginative play within and around the playhut. Children will want to play longer due to the simple yet intentional design and the detail in its play features. The roof provides a sheltered space allowing the children to move in and out of the playhut while using their imagination. The small window will supports play on all sides of the playhut and encourageing hide and seek games. Playing social games helps a child with their developmental. The bench adds a space to take a break and the desks provide more space for being creative. The open window allows for exchanges from in and outside. All of these activities support a healthy development through play.





Playhut with Side, Gable & Desks







Theme Cognitive: suggests a theme and supports dramatic play, which stimulates language and communication skills.





Desk Social-Emotional: great meeting place and space creator for storing or sitting.

KOM

Let's play



Window Social-Emotional: invites interaction between sides and cooperative play.



Bench Social-Emotional: invites socializing and cooperation. Allows for a break with friends.

Playhut with Side, Gable & Desks



NRO414



All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).



The product/activities are preassembled from the factory to ensure all safety requirements are considered.



The paint used for coloured components is water based environmentally friendly with excellent UV resistance. The paint is in compliance with EN 71 Part 3.

Item no. NRO414-	1021	
Installation Inform	nation	
Max. fall height	0 cr	n
Safety surfacing area	17.2 m	۱²
Total installation time	6.	9
Excavation volume	0.63 m	1 ³
Concrete volume	0.00 m	1 ³
Footing depth (standard)	100 cr	n
Shipment weight	336 k	g
Anchoring options	In-ground	-

Warranty InformationEcoCore HDPELifetimeHot dip galvanised steelLifetimeRobinia wood15 yearsSpare parts guaranteed10 years

Lifetime

|--|

The playhouses are available with floor inside the house and with a floor outside to create a porch. There are Multiple footing options for all products: Surface anchoring with steel footings and expansion bolts. Wood in-ground or steel in-ground footings. Robinia products are available in three different wood treatment options: Untreated Robinia wood or brown painted with a pigment that maintains the wood colour and coloured version with paint of selected components.



Stainless steel

components

Sustainability Data

Cradle to Gate A1-A3

NRO414-1021

NRO414



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO, calculation of: Nature play



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NR0409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO, calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



BUREAU VERITAS

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Total CO2

emission

kg CO₂e

48.70

CO2e/kg

kg CO₂e/kg

0.18

Recycled

materials

%


1.56




NRO414

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





NRO414

Click to see TOP VIEW



