## **Chalk Board, Large**

PCM0012







This large chalkboard will support hours of play and learning in an outdoor learning environment or playground. The large space is plenty for many children to join in the mark making and drawing, which will help them to develop fine motor skills when drawing, and language and literacy skills when making signs. The large size supports social play, because

there is plenty of room for interaction and cooperation. Chalkboards can have direct benefits for learning, and they also enhance a variety of dramatic play scenarios, from playing school to making a sign for treasure hunting games. There are cognitive benefits to drawing and leaving your mark, because it stimulates brain development, creative thinking and thus

problem solving skills.









## **Chalk Board, Large**

PCM0012





Board is made of ceramic steel. Ceramic steel has high corrosion resistance and it is completely recyclable.

Main posts with hot dip galvanized steel footing are available in different materials: Pressure impregnated pine wood posts. Pre-galvanized inside and outside with powder coated top finish steel posts. Lead free aluminum with color anodized top finish. Greenline TexMade posts of 95% post-consumer recycled PE and textile waste.

Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.

| Item no. PCM001208-0902  |           |      |  |  |
|--------------------------|-----------|------|--|--|
| Installation Information |           |      |  |  |
| Max. fall height         | (         | ) cm |  |  |
| Safety surfacing area    | 12.       | 3 m² |  |  |
| Total installation time  |           | 3.8  |  |  |
| Excavation volume        | 0.0       | 5 m³ |  |  |
| Concrete volume          | 0.00 m³   |      |  |  |
| Footing depth (standard) | 85 cm     |      |  |  |
| Shipment weight          | 8         | 6 kg |  |  |
| Anchoring options        | In-ground | ~    |  |  |
|                          | Surface   | ~    |  |  |
|                          |           |      |  |  |



KOMPAN GreenLine versions are designed with ultimate environmentally friendly materials with lowest possible CO2e emission factor such as EcoCoreTM panels of +95% post consumer recycled ocean waste.



## **Sustainability Data**

PCM0012





| Cradle to Gate A1-A3 | Total CO₂<br>emission | CO₂e/kg    | Recycled materials |
|----------------------|-----------------------|------------|--------------------|
|                      | kg CO₂e               | kg CO₂e/kg | %                  |
| PCM001208-0950       | 101.40                | 1.47       | 80.40              |
| PCM001208-0902       | 126.40                | 2.07       | 70.00              |

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))


## **Chalk Board, Large**






\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height





Click to see TOP VIEW

Click to see SIDE VIEW