Dustbin 60 L

KPL205



Item no. KPL205		
General Product Information		
Dimensions LxWxH Age group	53x36x74 cm	
Play capacity (users)	-	
Item color		





Part of the classic designed park furniture assortment made of low maintenance materials.

Dustbin 60 L

KPL205



The steel surfaces are hot dip galvanized inside and outside with lead free zinc. The galvanization has excellent corrosion resistance in outdoor environments and require low maintenance.



Item no. KPL205		
Installation Information		
Max. fall height	0 cm	
Safety surfacing area	0.0 m²	
Total installation time	0.5	
Excavation volume	0.00 m³	
Concrete volume	0.00 m³	
Footing depth (standard)	0 cm	
Shipment weight	17 kg	
Anchoring options	-	
Warranty Information		
Hot dip galvanised steel	Lifetime	
PE/PP components	5 years	
Spare parts guaranteed	10 years	

Sustainability Data

Cradle to Gate A1-A3

KPL205

KPL205



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO, calculation of: Park



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Park" represented by item no.: PAR4070-0001.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

maiz

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO, calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023





The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Total CO2

emission

kg CO₂e

29.15

CO2e/kg

kg CO₂e/kg

2.43

Recycled

materials

%

12.50




KPL205


* Max fall height | ** Total height | *** Safety surfacing area

KOMPAN Let's play

* Max fall height | ** Total height



KPL205 **120cm



KPL205

Click to see TOP VIEW

Click to see SIDE VIEW

4 / 05/23/2024

Data is subject to change without prior notice.