# Swing Frame for 3 seats

NRO923





General Product Information		
Dimensions LxWxH	696x219x290 cm	
Age group	2+	
Play capacity (users)	-	
Colour options		





A harmonic design of play frames attract attention. Swinging in a stable, solid framework increases the feeling of security and thus increases the force, concentration and energy that the child dare put into swinging. The more stable, the more play intensity. So children will come back to enjoy the archaic experience of swinging, again and again, benefiting their development of balance and coordination. Adding more seats in a swing frame motivates and enhances social play and cooperation.

# Swing Frame for 3 seats

NRO923



Item no. NRO923-0901			
Installation Information			
Max. fall height		0 cm	
Safety surfacing area	0.0 m²		
Total installation time	8.8		
Excavation volume	1.78 m³		
Concrete volume	0.52 m³		
Footing depth (standard)	88 cm		
Shipment weight	639 kg		
Anchoring options	In-ground 🗸		
Warranty Information			
Robinia wood	15	years	
Spare parts guaranteed	10 years		
Swing hangers	5 years		



## **Sustainability Data**

Cradle to Gate A1-A3

NRO923-0901

NRO923



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



#### Verification of CO<sub>2</sub> calculation of: Nature play



Data version no. 2023-10-05

The  $CO_2$  calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NR0409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

### mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



B U R E A U V E R I TAS

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

**Total CO2** 

emission

kg CO<sub>2</sub>e

89.95

CO2e/kg

kg CO<sub>2</sub>e/kg

0.19

Recycled

materials

%

1.11


### Swing Frame for 3 seats

NRO923


\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area



\* Max fall height | \*\* Total height



NRO923 \*\*290cm \*\*\*0m<sup>2</sup>



Click to see TOP VIEW

Click to see SIDE VIEW

4 / 05/23/2024