NAT521





General Product Information

Dimensions LxWxH 451x548x427 cm
Age group 4+
Play capacity (users) 14
Colour options



The Savannah attracts world explorers among school age children from far away with its fantastic variety of thrilling play activities. The 5 varied climbs and crawls via nets, ladders, floors and climbing poles to the tall slide stimulate the children's agility, balance and cross- coordination. And the variety makes sure that there are ways up and around the

Savannah for bigger and lesser dare devils. The motor skills trained are important for children's physical confidence and their security in moving, for instance in the street. The sense of balance and space are trained whizzing down the slide. The sense of balance is fundamental for all other physical skills. The platforms and nets are nice rest and meeting

points for socializing with friends. So the Savannah supports fun activity with friends.



NAT521









Climbing net

Physical: children develop cross-body coordination and muscle strength. The asymmetry of the net challenges the children's climbing and crawling through. Social-Emotional: the big meshes allow for more children seated together, sharing.





Inclined platform

Physical: trains the sense of balance and space. Social-Emotional: courage, selfconfidence, consideration and turn-taking, all important life skills, get practiced.







Climbing pole

Physical: develops children's cross coordination, eye-hand coordination and muscle strength when climbing up or down. Social-Emotional: turn-taking and selfregulation are trained, both important life skills.




Slide

Physical: sliding develops spatial awareness and a sense of balance. Furthermore, the core muscles are trained when sitting upright going down. Social-Emotional: empathy stimulated by turn-taking.

NAT521





Posts and boards are made of pine wood from sustainable European sources. The wood is pressure impregnated Class 3 with Tanalith E3475 according to EN335 (Equivalent to NTR Class AB). On request it can be supplied as FSC® Certified (FSC® C004450).



Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.



The steel surfaces are hot dip galvanized inside and outside with lead free zinc. The galvanization has excellent corrosion resistance in outside environments and requires low maintenance.




Installation Information Max. fall height 196 cm Safety surfacing area 40.8 m² Total installation time 22.0 Excavation volume 1.69 m³ Concrete volume 0.24 m³ Footing depth (standard) 93 cm Shipment weight 707 kg Anchoring options In-ground Surface **Warranty Information** FcoCore HDPF Lifetime Hot dip galvanised steel Lifetime Pinewood 10 years Ropes & nets 10 years Spare parts guaranteed 10 years

Item no. NAT521-0912



Corocord ropes of UV-stabilized PES rope strands with inner steel cable reinforcement. The polyester yarn is made from +95% postconsumer materials and is inductively melted onto each strand. PES has high strength with excellent resistance to abrasion and UV radiation. The rope loops are assembled by aluminum connectors.



Roof is made of a steel frame supported Ekogrip® panel. The Ekogrip® panel consist of a 15mm thick PE base with 3 mm top-layer of rubber.



The slide is made of high quality stainless steel AISI 304. The steel is cleaned by a total pickling process after manufacturing to ensure a smooth and clean gliding surfaces.







Sustainability Data

NAT521





Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
NAT521-0912	1,301.66	2.32	35.61

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

made

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000





NAT521



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





Click to see TOP VIEW

Click to see SIDE VIEW