Chest Press

FSW243



Item no.

General Product Information

Dimensions LxWxH cm

Age group

Play capacity (users)

Color options

With the Inclusive Chest Press, wheelchair users can do light strength training directly from the wheelchair. With no obtruding elements, the user can easily position a wheelchair of any size for the chest press exercise or for the horizontal row exercise when facing the opposite direction. It is simple to use as there are no settings for position or load. Stronger

users can focus on muscle endurance by doing more repetitions.



Chest Press

FSW243



Item no.

Installation Information

Max. fall height

0 cm

Safety surfacing area

0.0 m²

Total installation time

Excavation volume

Concrete volume

Footing depth (standard)

Shipment weight

Anchoring options

Warranty Information

Sustainability



Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Validation of CO₂ calculation of: Fitness



Data version no. 2021-09-27

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Fitness" represented by item no.: FAZ10100-0900

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 15. October 2021 | Valid until: 15. October 2023 Validated by:

Bootto

Bente Hviid, Senior Consultant

Peter Bendtsen, Senior Consultant

Validation based on report: Validation of ${\rm CO_2}$ calculation of 8 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Bente Hviid and Peter Bendtsen.

Publication date: 15. October 2021

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000



Cradle to Gate A1-A3

Total CO₂ emission

CO₂e/kg

Recycled materials

kg CO₂e kg CO₂e/kg %

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Chest Press

FSW243



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height

Click to see TOP VIEW

Click to see SIDE VIEW