NRO852






Item no. NRO852-1001

General Product Information

Dimensions LxWxH 321x317x279 cm
Age group 5 - 12
Play capacity (users) 14
Colour options



The Parkour 2 is a challenge that school age children can't pass without trying. The varied, responsive climbing ropes and nets are too much of a temptation. The Parkour 2 stimulates basic motor skills. Children use their cross-coordination, their proprioception and their muscles when they climb horizontally and vertically across the ropes and nets. The

balancing across the top beam with support rope adds to the thrill. The variation allows for different climbing styles and more children climbing together. This takes cooperation and communication so children use and expand social-emotional skills such as turn-taking and negotiation. The Parkour 2 allows ample space for meeting, too. The higher destinations are

good for the sense of space. This helps children judge distances, e.g. in street traffic.



NRO852





Top rope Physical: the top rope adds support when balancing on the beam. This develops dexterity, hand and arm muscles.









Climbing net

Physical: children develop cross-body coordination and muscle strength when climbing. The big meshes allow for climbing and crawling through, supporting proprioception and spatial awareness. Social-Emotional: the big meshes allow for more children to sit together and talk.







Parkour ropes

Physical: the big rubbery discs are great support for the feet when climbing or crossing. This trains cross coordination, balance and arm and leg muscles. This combination adds to the child's body adeptness and awareness, adding security to movements. Social-Emotional: the seats make a nice destination and meeting point and take cooperation when crossing by others on the way through the module.







Climbing rope

Physical: the small knots add support for hands and feet when climbing onto the rope, crawling up or down. Climbing supports spatial awareness, cross coordination and muscle strength. Social-Emotional: passing others when climbing up or down develops turn-taking skills and consideration.

NRO852






All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).



Full coloured EPDM rubber seats with smooth surface. The seats is are moulded on a hot dip galvanised steel inlay that ensures durable fixation to the rope.




Nets and ropes are made of UV-stabilised PA with inner steel cable reinforcement. The rope is induction treated in order to create a strong connection between steel and rope which leads to good wear resistance.



Warranty Information		
EPDM components	2 years	
Robinia wood	15 years	
Ropes & nets	10 years	
Spare parts guaranteed	10 years	
Stainless steel components	Lifetime	



The Robinia wood can be supplied as untreated raw wood or painted with a brown coloured transparent pigment that maintains the golden wood colour of the wood.





Sustainability Data

NRO852





Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
NRO852-1001	234.02	0.73	7.22

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

200m

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000



NRO852



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height

