

PCM002331











spheres, providing a great tactile sensation. The crawl-through panel encourages children to crawl and explore. These activities stimulate cross-modal perception and encourage cross-coordination, which are both important for as well physical as cognitive development for toddlers and stimulate reading skills. The Peek a boo panel stimulates the understanding of

object permanence: that items may still exist even though out of sight. The desk invites meetings and makes a seat for carers. Lots of play in a small footprint and a frame for having fun and making friends for life.



PCM002331





### Desk with conveyor belt

Physical: tactile stimulation from running hands over rolling spheres on conveyor belt. Social-Emotional: sharing and cooperation from both sides create a social scenario that supports communication and cooperation. Cognitive: supports dramatic play scenarios, trains cause and effect understanding.









### Faces panel

Social-Emotional: spurs group play and conversations with its two-sidedness. Cognitive: stimulates theory of mind: that others may have different feelings. Stimulates the understanding of symbols and facial expressions as symbols for emotions.





















### Window with curtains

Physical: tactile stimulation supports sensory skills, when children explore characteristics of the materials. Social-Emotional: social interaction between inside and outside, supporting turn-taking and cooperation. Cognitive: understanding object permanence when playing, e.g. peek-a-boo. Dramatic play support, encouraging language skills. Creative: leaving a mark, deciding how to place curtains.



Social-Emotional: fine meeting place and a space creator. Sharing and cooperation from both sides create a social scenario that supports communication and cooperation.







Cognitive: learning about numeracy and time in a tangible way. Creative: leaving your mark on the playground when setting clock differently.

PCM002331



10 years



Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but is also produced from +95% recycled post consumer material from food packing waste. Wooden panels of impregnated and brown painted pine wood with vertical steel profiles.



Main posts with hot dip galvanized steel footing are available in different materials: Pressure impregnated pine wood posts. Pre-galvanized inside and outside with powder coated top finish steel posts. Lead free aluminum with color anodized top finish. Greenline TexMade posts of 95% post-consumer recycled PE and textile waste.



All decks are supported by unique designed low-carbon aluminum profiles with multiple attachment options. The grey colored molded decks are made of 75% post-consumer waste PP material with a non-skid pattern and texture surface.

Item no. PCM002331-0601				
Installation Information				
Max. fall height	8	33 cm		
Safety surfacing area	28	3.4 m²		
Total installation time		12.6		
Excavation volume	0.	21 m³		
Concrete volume	0.	00 m³		
Footing depth (standard)	60 cm			
Shipment weight	2	76 kg		
Anchoring options	In-ground ✓			
	Surface	•		
Warranty Information				
EcoCore HDPE	Lif	etime		
Post	10 years			
PP Decks	10 years			



Roof is made from rotomoulded PE with 33% Post-consumer materials. PE has high impact resistance across a wide temperature span which ensures durability.



KOMPAN GreenLine versions are designed with ultimate environmentally friendly materials with lowest possible CO2e emission factor such as EcoCoreTM panels of +95% post consumer recycled ocean waste.

Elevated activities 4	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	4	2	2
Required	2	1	1

CSA Z614 compliant

Spare parts guaranteed

# **Sustainability Data**

PCM002331





Cradle to Gate A1-A3	Total CO₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
PCM002331-0651	365.13	1.63	66.44
PCM002331-0601	513.97	2.59	51.23

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

### Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



### Verification of CO<sub>2</sub> calculation of: Play systems



Data version no. 2023-10-05

The  $\mathrm{CO_2}$  calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Play systems" represented by item no.: PCM200321-0950.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of  ${\rm CO_2}$  calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000





PCM002331



\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height





Click to see TOP VIEW

Click to see SIDE VIEW