
M63273





Toddlers do fun more fun! Labyrinth, 3 room will provide hours of fun for young children. This carefully designed structure offers play opportunities in all areas: physical, social-emotional, cognitive, and creative. Children will enjoy moving their bodies in and out as well as around and around the structure. This is welcomed by the thoughtfully placed rubber

knee-protectors placed in the crawl-through openings. These support important physical as well as spatial skills. The open 360 design also supports cooperation and parallel play, which develops the social-emotional skills of the child.









M63273









Gear shift Social-Emotional: cooperation, turn-taking, sharing. Cognitive: suggests a theme and supports dramatic play, which stimulates languages skills.







Social-Emotional: gathering, cooperating or taking a break from play - all train social skills.
















Turning wheel



Social-Emotional: develops turn-taking,

communication and cooperation. Cognitive:

the manipulative item stimulates 'cause and

effect' understanding, logical thinking and

moveable play items that can leave a mark

communication. Creative: working with

supports the child's creativity.







Crawl-through hole

Physical: the hole allows for climbing and crawling through, developing cross coordination, proprioception and spatial awareness. Social-Emotional: cooperation and turn-taking when passing one another. Cognitive: understanding space, shape and measures when seeing if the body can fit through the hole.







Cognitive: suggests a theme and supports dramatic play, which stimulates language and communication skills.



Social-Emotional: invites interaction between outside and inside. Cognitive: distorts the sound of the voice, developing logical

M63273




10 years



Panels of 19mm EcoCore[™]. EcoCore[™] is a highly durable, eco-friendly material, which is not only recyclable after use but also consists of a core produced from 100% recycled material.



Bench and floors are made of HPL with a thickness of 17,8mm with a very high wearing strength and a unique KOMPAN non-skid surface texture.




On the side of the wall, there is a transparent bubble which is made from UV-stabilised PC.

Item no. M63273-3213P			
Installation Information			
Max. fall height		27 cm	
Safety surfacing area	2	1.9 m²	
Total installation time		9.5	
Excavation volume	0.04 m³		
Concrete volume	0.00 m³		
Footing depth (standard)	40 cm		
Shipment weight	2	272 kg	
Anchoring options	In-ground	~	
	Surface	~	
Warranty Information			
EcoCore HDPE	Lifetime		
HPL Decks	15 years		
Movable Parts	2 years		



Edge protection is made of PUR. It retains its properties in the temperature range of -30°C to 60°C. Material is UV stabilised.



Play spheres are made from PP, which is durable and impact resistance.



Spare Parts Guarantee

Sustainability Data

M63273





Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
M63273-3213P	274.77	1.24	71.66


The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Themed play systems



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Themed play systems" represented by item no.: MSC641100-3717P.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of ${\rm CO_2}$ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000









* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





Click to see TOP VIEW

Click to see SIDE VIEW