
Home Seesaw

M186





Item no. M18601-01P

General Product Information

Dimensions LxWxH 108x328x109 cm
Age group 3+
Play capacity (users) 10
Color options











Colorful bees and cute shapes rocking hugely motivate children to join in play, rocking together. The spacious design and sturdy back and foot support allow for many children of all abilities playing together. The risk seekers can stand on the middle platform securely, sensing the movement of the others. The spacious platform also allows for socializing and children

lying or sitting. There is room enough for care givers, too. The seats at the end are big enough for older children as well as adults. The fun thrill of rocking, individually, in small or in big groups, will make children return for more. Rocking on the home seesaw trains the children's muscles and motor skills, their balance and coordination. The spaciousness of

the seesaw supports development of socialemotional skills, e.g. cooperation, consideration and turn-taking. Toddlers experience causeand effect understanding.





Home Seesaw

M186



Surface



Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.



All floors are made of High Pressure Laminate HPL with a thickness 17.8mm and non skid surface texture according to EN 438-6. KOMPAN HPL has high wearing strength to ensure long lifetime in all climates.



The steel surfaces are hot dip galvanised inside and outside with lead free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.



Installation Information				
Max. fall height	100 (cr		
Safety surfacing area	17.8	m		
Total installation time	8	3.		
Excavation volume	0.42	m		
Concrete volume	0.00	m		
Footing depth (standard)	42 (cr		
Shipment weight	299	k		
Anchoring options	In-around	v		

Item no. M18601-01P



KOMPAN Springs are made of high quality spring steel according to EN10270. The springs are cleaned by phosphating before they are painted with an epoxy primer and a polyester powder coating as top finish. The springs are fixed by unique anti pinch fittings for maximum safety and long lifetime.



The usage of two springs and a center tipping point makes possible for users of different ages to play together. The tipping point bushing is a made of high quality nylon (PA6).




All KOMPAN multi seesaws can be equipped with a special designed back support and footrest at each side. This extra back support and footrest are practical additions for children with poor coordination or sense of balance.



Sustainability Data

M186





Cradle to Gate A1-A3	Total CO₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
M18601-01P	600.80	2.42	42.00

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: GXY916012-3417.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

made

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000




Home Seesaw






* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



M18601P *100cm **109cm ***18m²



Click to see TOP VIEW

Click to see SIDE VIEW