MSC6421





Item no. MSC642100-3717P

General Product Information

Dimensions LxWxH 781x731x285 cm

Age group 2 - 5

Play capacity (users) 35

Colour options



WOW! The Home & Rescue themes hugely appeal to children's dramatic play stories. The rich variety of physical play activities makes this a play magnet that children come back to again and again. The ground level den invites a break with friends. There is a rescue side and a home side, inspiring imaginative play stories. Thanks to the two-sided panels and themes

and the wide accessible stairway, this is play for all, all around the structure. The wide choice of climbing events of varied difficulty train motor skills, such as cross-coordination. The slides train balance. These motor skills are important for navigating the world confidently. There are many meeting points, so the social play invitation in the Home & Rescue Fortress is

immense, with rich, dramatic play motivation, thanks to the themes. Here all children can meet, greet, and play, making friends for life.



MSC6421





Curved climbing wall

Physical: children develop their cross-body coordination, proprioception and leg, arm and hand strength. Climbing on a curved surface is an extra challenge to muscles.





Climbing net

Physical: children develop cross-body coordination and muscle strength. The asymmetry of the net challenges the children's climbing.



Play sphere

different positions.



Social-Emotional: can be played from both


sides, encouraging cooperation. Cognitive:

cause and effect understanding. Creative:

leave a mark and place the spheres at







Physical: supports cross coordination and leg, arm and hand strength. Social-Emotional: the inclination makes climbing feel secure, especially for younger children.





Physical: sliding develops spatial awareness

and a sense of balance. Furthermore, the core

muscles are trained when sitting upright going

down. Social-Emotional: empathy stimulated

develop their understanding of space, speed

by turn-taking. Cognitive: young children

and distances when sliding down quickly.









Physical: climbing the accessible stairway is for all and supports cross coordination as well as arm and leg muscles. For young children, walking stairs and alternating feet is developed. Social-Emotional: room for active breaks and adult helpers. An inclusive space.







Cognitive: the binoculars set a tangible theme and thus spur dramatic play. Dramatic play is a great trainer of language and communication skills. Creative: the binoculars can be turned in all directions. Looking through them gives a new perspective on the world.



MSC6421



15 years

10 years

10 years



Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.



All floors are made of High-Pressure Laminate HPL with a thickness 17.8mm and non skid surface texture according to EN 438-6. KOMPAN HPL has high wearing strength to ensure long lifetime in all climates.



Curved climbing wall is made of Ekogrip® panel that consist of a 15mm thick PE base with 3 mm top-layer of soft rubber with a non-skid effect.

| item no. MSC642100-3717P | | | | |
|----------------------------------|-----------|--------|--|--|
| Installation Information | | | | |
| Max. fall height | 1 | 93 cm | | |
| Safety surfacing area | 8 | 3.7 m² | | |
| Total installation time | | 40.3 | | |
| Excavation volume | 1 | .89 m³ | | |
| Concrete volume | 0 | .00 m³ | | |
| Footing depth (standard) | | 90 cm | | |
| Shipment weight | 1,3 | 380 kg | | |
| Anchoring options | In-ground | ~ | | |
| | Surface | ~ | | |
| Warranty Information | | | | |
| EcoCore HDPE | Li | fetime | | |
| Hot dip galvanised steel Lifetin | | fetime | | |

Item no MSC6/2100-3717D



Molded PE slides made with 33% postconsumer materials in different colors in onepiece design with a wall thickness of minimum 5mm. The PE is tested for UV stability and has excellent impact strength and it is usable within a large temperature span.



Ropes are made of UV-stabilized PP rope strands with inner steel cable reinforcement. Horizontal ropes are PUR coated to obtain good wear and tear resistance.



The steel surfaces are hot dip galvanised inside and outside with lead free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.

| Elevated activities 13 | Accessible elevated activities | Accessible ground level activities | Accessible ground level play types |
|------------------------|--------------------------------|------------------------------------|---------------------------------------------|
| Present | 13 | 9 | 4 |
| Required | 7 | 4 | 3 |

CSA Z614 compliant

HPL decks

Ropes & nets

Spare parts guaranteed

Sustainability Data

MSC6421



| Cradle to Gate A1-A3 | Total CO ₂ emission | CO ₂ e/kg Recycled materials | |
|----------------------|--------------------------------|-----------------------------------------|-------|
| | kg CO₂e | kg CO₂e/kg | % |
| MSC642100-3717P | 2,366.93 | 2.13 | 53.91 |

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))




Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Themed play systems



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Themed play systems" represented by item no.: MSC641100-3717P.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

misi

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of ${\rm CO_2}$ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000





MSC6421



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





Click to see SIDE VIEW