


PlayBox™, Outdoor, T25 Mirrored

PBO100102



Item no. PBO100102-0002	
General Product Information	
Dimensions LxWxH	412x356x342 cm
Age group	3+
Play capacity (users)	11
Colour options	



The enclosed Outdoor PlayBox offers fun and varied play meandering across levels and platforms, as well as both motor skill and muscle training, and in addition social and cognitive play benefits. The circular opening invites children into the ground level of the structure, which offers a fast climb up to the elevated level slide as well as two more

secluded play areas with either an explorative play panel or a TicTacToe, which can be played with participants outside the PlayBox also. Children who climb straight up to the wild slide via climbing walls, also get the offering of entering through soft flap doors into a different and very tactile play experience with the horizontal rollers. For those who slide

down, the downwards and sideways slide leads them to the outside of the playbox, ready to climb in for the next loop of play. All in all there is plenty of physical exercise and fun togetherness.



PlayBox™, Outdoor, T25 Mirrored

PBO100102

KOMPAN®



Tic-tac-toe panel

Social-Emotional: stimulates communication and turn-taking skills. **Cognitive:** support rules understanding, strategic thinking.

Creative: leaving marks when tumblers are left in new positions.



Tube slide

Physical: sliding develops spatial awareness and a sense of balance. Furthermore, the core muscles are trained when sitting upright going down. **Social-Emotional:** thrill when going down fast. Empathy stimulated by turn-taking. **Cognitive:** young children train their understanding of space, speed and distances when sliding down quickly.



Maze ants

Social-Emotional: communication and cooperation exploring the maze with friends.

Cognitive: stimulates memory when memorizing maze routes. Supports rules understanding and strategic thinking.

Creative: leave a mark and place the spheres at different positions



Climbing wall

Physical: develops children's cross-coordination, eye-hand coordination and muscle strength when climbing. **Social-Emotional:** two-sided climb invites cooperation.



Membrane triangle

Social-Emotional: cooperation and turn-taking when playing with friends on the other side. **Cognitive:** understanding of object permanence: things can disappear without being gone forever – a thrilling insight.



Rope with ufos

Physical: the UFOs allow for both seated and standing swaying, climbing and turning. The sense of balance is developed when swaying. Climbing up strengthens arm and leg muscles.



Roller horizontal

Physical: The Horizontal Roll challenges children's balance and coordination as they crawl, push or roll over them. It is a full-body coordination challenge that develops muscle and motor skills. **Social-Emotional:** socializing and turn-taking when deciding who should go next.

PlayBox™, Outdoor, T25 Mirrored

PBO100102



Our panels are made from HPL or PC, offering excellent resistance to vandalism and wear. With high UV protection for outdoor use, they retain their appearance and play value over time.




Children should be free to play without restraints; safety remains our top priority. All soft play elements are designed to meet the highest global standards and regulations for materials.



Blow molded decks in PP material with non-skid surface texture, climbing handholds and multiple attachment options for play activities.



Our slides are made from durable polyethylene. Thanks to our expertise in rotational molding, they are designed to be both safe and enjoyable, delivering a smooth, fast ride for all ages.



Pre-galvanized steel tubes with a powder-coated finish ensure exceptional lifetime and low maintenance over time.



UV-stabilized PES polyester rope with EcoYarn™ of 95% post consumer recycled material.

Item no. PBO100102-0002	
Installation Information	
Max. fall height	100 cm
Safety surfacing area	0.0 m²
Total installation time	57.2 hours
Excavation volume	0.00 m³
Concrete volume	0.00 m³
Footing depth (standard)	0 cm
Shipment weight	802 kg
Anchoring options	Surface ✓
Warranty Information	
PP Decks	10 years
Ropes & nets	10 years
HPL Panels	5 years
Soft Activities	5 years
Spare parts guaranteed	10 years

**EN
1176**
compliant



Independent review certificate

Kompan A/S
C. F. Tietgens Blvd. 32C, 5220 Odense SØ

Bureau Veritas hereby attests that the CO₂e-calculations (covering materials, processing, waste and transport) done by Kompan for "Play Systems", meet the requirements set by the listed standard.

Kompan A/S uses a selection of EPDs and emission factors from the Life Cycle Assessment database Ecoinvent 3.11. These values are reported as kg CO₂e, with all other impact categories excluded in line with the scope of ISO 14067:2018. The emission factors cover, material use, manufacturing processes, transport to Kompan, and electricity used during manufacturing. The presented emissions fall under GHG Protocol scope 3 emissions. Scope 1 and 2 are not presented. Scope 3 emissions include emission sources in the upstream value chain of a company, downstream emissions are excluded in this analysis.

Method: ISO 14067:2018 using GHG protocol guidance documents, reported as kg CO₂e.

Object

The verification has been done on the one pager "PCM310921-0905" version: 27-10-2025. The supporting documentation "KOMPAN data_updated emissions factors_2025_V2" and "Emissions factors, EPD's and ecoinvent 3.11_2025" was also reviewed and approved.

Declaration

The verification has been completed as a critical review with a limited assurance. I hereby confirm that nothing has come to the reviewer's attention which would lead to conclude that the study does not give an accurate depiction or isn't completed following method of the CO₂e calculation, the requirements of ISO 14067:2018, and 14071:2024, in the above referenced documentation.

Note: This verification only covers calculation elements according to method described in ISO 14067:2018 and may not be seen as a Life Cycle Assessment according to ISO 14067:2018.

Ref.: Kompan_Verification report 2025, 28-10-2025
Date of certificate: 29-10-2025
Expire date: 29-10-2027

Verified by: Julie Marie Vejsgaard Larsen, Environmental Auditor

Signature: 



Cradle to Gate A1-A3	Total CO ₂ emission	CO ₂ e/kg	Recycled material
	kg CO ₂ e	kg CO ₂ e/kg	%
PBO100102-0002	3,334.81	4.62	24.87

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

PlayBox™, Outdoor, T25 Mirrored

PBO100102



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height

[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)