

Double Hill Climber Rope

CRP630201

Item no. CRP630201-0901

General Product Information

| | |
|-----------------------|---|
| Dimensions LxWxH | 8'6"x6'9"x4'6" |
| Age group | 2 - 12 |
| Play capacity (users) | 2 |
| Color options |  |



The fun of fundamentals makes children play repeatedly: the Hill Climber invites and supports rappelling up steep hills. The excellent combination of stemming the feet onto the hill, holding tight to the rope, and leaning back, walking upwards is a repeatedly thrilling experience. Apart from being great fun, the combination of movement also provides

great gross motor and muscle training. Hands, arms, and upper body are trained when gripping the perfectly sized rope, legs are trained to walk upwards, and core muscles are put to work when leaning back, tensioning the core.


The motor skill training is intense: the spatial

awareness, the sense of balance, and the coordination come to full use. This stimulates the overall motor confidence of the child and helps train the ability to, e.g., judge distances – which is essential in street traffic.



Double Hill Climber Rope

CRP630201



Hill climber rope

Physical: trains cross coordination, balance and muscle strength. Cross coordination also stimulates cross-modal perception, necessary for skills such as reading. **Social-Emotional:** children cooperate when rappelling together.




Double Hill Climber Rope


CRP630201



Corocord ropes with 19mm diameter or more are special 'Hercules' - type with galvanized six-stranded steel wires. Each strand is tightly wrapped with PES yarn, which is melted onto each individual strand. The ropes are highly wear-and vandalism-resistant and can be replaced at site if needed.



The steel surfaces are hot-dip galvanized inside and outside with lead-free zinc. The galvanization has excellent corrosion resistance in outside environments and requires minimal maintenance.



The Corocord Smart Clamps are carefully designed to ensure superior flexibility in high-quality aluminum material. The smart clamps are attached around the post with four steel bolts. Unused attachment points are closed with PA caps.



Through the KOMPAN Variant Team, you can choose between additional 7 rope colors and customize your solution. The assortment is a wide span of colors ranking from elegant and expressive black or a natural, neutral hemp color, to a range of attractive and eye-catching signal colors.



Hill climber ropes are ideal embankment play products, usable on slopes of 20-60° and available in various lengths.

Item no. CRP630201-0901

Installation Information

| | |
|--------------------------|---------------------|
| Max. fall height | 0'0" |
| Safety surfacing area | 0ft ² |
| Total installation time | 2.2 |
| Excavation volume | 1.54yd ³ |
| Concrete volume | 0.86yd ³ |
| Footing depth (standard) | 2'11" |
| Shipment weight | 69lbs |
| Anchoring options | In-ground ✓ |

Warranty Information

| | |
|--------------------------|----------|
| Chains | 10 Years |
| Corocord Rope | 10 Years |
| Hot dip galvanized steel | Lifetime |
| Spare Parts Availability | 10 Years |

| Elevated activities | Accessible elevated activities | Accessible ground level activities | Accessible ground level play types |
|---------------------|--------------------------------|------------------------------------|------------------------------------|
| Present | | | |
| Required | | | |

**ASTM
F1487**
compliant

Sustainability Data

CRP630201



| Cradle to Gate A1-A3 | Total CO ₂ emission | CO ₂ e/kg | Recycled materials |
|----------------------|--------------------------------|-------------------------|--------------------|
| | kg CO ₂ e | kg CO ₂ e/kg | % |
| CRP630201-0901 | 85.92 | 3.49 | 45.85 |

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S
 C.F. Tietgens Boulevard 32C
 DK-5220 Odense SØ
 Denmark



Verification of CO₂ calculation of: Corocord



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Corocord" represented by item no.: COR314011-1101.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
 www.bureauveritas.dk
 +45 7731 1000




Double Hill Climber Rope

CRP630201

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



CRP630201
** 4'-6" / 137cm

[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)