
PCM111021





Item no. PCM111021-0905			
General Product Information			
Dimensions LxWxH	649x480x470 cm		
Age group	4+		
Play capacity (users)	25		
Colour options			





the children's spatial awareness, proprioception and muscles. These motor skills and muscles are all important to navigate the world securely outside the playground. The many ground level activities create areas for retraction and quieter play. From the various upper levels, great views, as well as varied gliding and sliding, offer a thrill. This is what makes children loop the play unit again and again: up the unit, down the slides.



PCM111021









#### Balcony Social-Emotional: the balcony invites meetings and interaction with people on ground level. Cognitive: invites dramatic play and performance, which stimulates language development.











Physical: develops spatial awareness, sense of balance and trains core muscles when sitting upright going down. Social-Emotional: empathy stimulated by turn-taking.





Physical: supports coordination, arm and core muscles. Landing strengthens bone density Social-Emotional: turn-taking and risk-taking.











Physical: the children have a fast access up the horizontal rungs, and a slower climb up the sloping rungs. The net can be climbed from both sides. Social-Emotional: the twosided net allows for social interaction. The spaciousness invites socialising. Cognitive: logical thinking when planning how to best enter the platform from the net.





Social-Emotional: teams can each have a

buttons support cooperation and teamwork.

thinking skills such as logical thinking and

Cognitive: counting and registering support

sequencing. Creative: children can leave their

mark, placing the timer in different positions.

button to measure rounds, wins etc. The











Physical: supports cross coordination and leg, arm and hand strength. Social-Emotional: the inclination makes climbing feel secure, especially for younger children.

PCM111021






Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco-friendly material, which is not only recyclable after use but also consists of a core produced from 100% recycled material.



All decks are supported by unique designed low-carbon aluminum profiles with multiple attachment options. The grey colored molded decks are made of 75% post-consumer waste PP material with a non-skid pattern and texture surface.




Main posts with hot dip galvanized steel footing are available in different materials: Pressure impregnated pine wood posts. Pre-galvanized inside and outside with powder coated top finish steel posts. Lead free aluminum with color anodized top finish.



9			
Warranty Information			
EcoCore HDPE	Lifetime		
PE Slide	10 years		
PP Decks	10 years		
Ropes & Nets	10 years		
Spare Parts Guarantee	10 years		



The slides can be chosen in six different colours and three materials: Straight or curved one-piece moulded PE slides, made from 33% recycled post-consumer materials in different colours. Combined EcoCore™ sides and stainless-steel. Full stainless steel in one piece design for more vandalism proof solutions.



Ropes of UV-stabilized PES rope strands with inner steel cable reinforcement. The polyester yarn is made from +95% post-consumer materials and is inductively melted onto each strand.



Wood version of FSC®-certified (FSC®C004450) pine wood with pressure impregnated base treatment and brown painted top finish. Vertical boards and top ends protected by a unique aluminum profile for high outdoor durability.



# **Sustainability Data**

PCM111021





Cradle to Gate A1-A3	Total CO₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
PCM111021-0951	1,645.58	1.89	69.83
PCM111021-0905	1,755.86	2.21	64.52

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

#### Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



#### Verification of CO<sub>2</sub> calculation of: Play systems



Data version no. 2023-10-05

The  $\mathrm{CO_2}$  calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Play systems" represented by item no.: PCM200321-0950.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of  ${\rm CO_2}$  calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000





PCM111021



\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height





Click to see SIDE VIEW