

Horse

M172



| | |
|------------------------------------|-------------|
| Item no. M17201-01P | |
| General Product Information | |
| Dimensions LxWxH | 35x96x82 cm |
| Age group | 1+ |
| Play capacity (users) | 1 |
| Color options | |



The Horse is a fantastically inviting springer which attracts and supports children's play relentlessly, time after time. The rocking sensation is a great movement response. Movement response is one of the greatest play sensations there are. Apart from the fun, this adds a feeling of control to the child's play. The responsive movement also trains the

understanding of cause and effect in young children: that actions have an effect on the world. Rocking on the Horse trains the child's sense of balance and space as well as hand and arm muscles when holding tight and pushing their feet hard into the foot support. All of these basic motor skills and muscle training actions help train the child's bodily cognition,

supporting important life skills such as being able to sit still on a chair or navigate traffic securely.



Horse

M172



Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.

KOMPANI Springs are made of high quality spring steel according to EN10270. The springs are cleaned by phosphating before they are painted with an epoxy primer and a polyester powder coating as top finish. The springs are fixed by unique anti pinch fittings for maximum safety and long lifetime.

The springs are fixed by unique anti pinch fittings for maximum safety and long lifetime.

| Item no. M17201-01P | |
|--------------------------|--------------------------|
| Installation Information | |
| Max. fall height | 60 cm |
| Safety surfacing area | 7.4 m ² |
| Total installation time | 2.3 |
| Excavation volume | 0.19 m ³ |
| Concrete volume | 0.00 m ³ |
| Footing depth (standard) | 45 cm |
| Shipment weight | 30 kg |
| Anchoring options | In-ground ✓ Surface ✓ |



Handholds and footrests are made of injection moulded high quality nylon (PA6). PA6 has good wearing and impact strength.



Seat is made of a moulded PP insert with an outer soft layer of TPE rubber. TPE rubber has good shock absorption and ensures durable solution.



KOMPANI GreenLine versions are designed with ultimate environmentally friendly materials with lowest possible CO2e emission factor such as EcoCore™ panels of +95% post consumer recycled ocean waste.



Sustainability Data

M172



| Cradle to Gate A1-A3 | Total CO ₂ emission | CO ₂ e/kg | Recycled materials |
|----------------------|--------------------------------|-------------------------|--------------------|
| | kg CO ₂ e | kg CO ₂ e/kg | % |
| M17201-01P | 63.50 | 2.39 | 48.10 |

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S
 C.F. Tietgens Boulevard 32C
 DK-5220 Odense SØ
 Denmark



Verification of CO₂ calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: GXY916012-3417.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
 www.bureauveritas.dk
 +45 7731 1000




Horse


M172

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



M17204
*60cm
**82cm
***7.4m²



M17204

[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)