

Play Panel 4 - School


PCM003421

KOMPAN
Let's play

Item no. PCM003421-0950

General Product Information

Dimensions LxWxH	306x200x75 cm
Age group	1+
Play capacity (users)	14
Color options	



The School Play Panel 4 is a richly stimulating play invitation for young children. The multiple, varied play events will make them return to the panels again and again. The panel with play scoops can be used from both sides and materials can be transported and shifted, which is great training of logical thinking skills for young children. The blackboard panel with abacus and peephole is great for training fine

motor skills and invites playing school. Dramatic play is a great stimulation of language and communication skills. The Tic-Tac-Toe panel appeals to older children who train strategic thinking when playing games with rules. The Climb through and See through panel presents two very popular activities: crawling through and peeping through. The cross-coordination trained when crawling and

climbing is a fundament for children's understanding of space, shapes and measures and ultimately mathematics. The bubble window distorts back children's voices when they speak into it. That will keep them coming back repeatedly, for more fun games with friends.



Data is subject to change without prior notice.

Play Panel 4 - School


PCM003421



Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.



Main posts with hot dip galvanized steel footing are available in different materials: Pressure impregnated pine wood posts. Pre-galvanized inside and outside with powder coated top finish steel posts. Lead free aluminum with color anodized top finish. Greenline TexMade posts of 95% post-consumer recycled PE and textile waste.



KOMPAN GreenLine versions are designed with ultimate environmentally friendly materials with lowest possible CO2e emission factor such as EcoCore™ panels of +95% post consumer recycled ocean waste.

Item no. PCM003421-0950


Installation Information

Max. fall height	0 cm
Safety surfacing area	20.9 m ²
Total installation time	7.0
Excavation volume	0.05 m ³
Concrete volume	0.00 m ³
Footing depth (standard)	85 cm
Shipment weight	149 kg
Anchoring options	



Sustainability Data

PCM003421



Cradle to Gate A1-A3	Total CO₂ emission	CO₂e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
PCM003421-0950	215.10	2.06	72.70
PCM003421-0901	236.60	2.51	64.10



The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Play Panel 4 - School

PCM003421

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)