
Castle Castello

PCM400831



Item no. PCM400831-0901			
General Product Information			
Dimensions LxWxH	721x436x410 cm		
Age group	2 - 5		
Play capacity (users)	31		
Colour options	•		





Wow! The Castello offers amazing play experiences to explore again and again. The Castello inspires physical, social and dramatic play immensely. The varied access climbers stimulate cross-coordination. This is foundational for reading skills. The bridges add fine balance training with their inclined or curved shape. Balance is a foundaiton for all

other motor skills and crucial for the child's body confidence. The tunnel is a thrilling crawling experience. Going down, there is the milder or wilder ride. The Curly Climber adds a thrilling, rotating glide that trains spatial awareness, that will help children navigate the world securely. On ground level rich play panels inspire dramatic play, which in turn

stimulates language development.

1 / 08/15/2024

Castle Castello



PCM400831



Curly climber Physical: coordination and proprioception are supported when placing arms and legs correctly for going down. Sense of balance when rotating. Arm muscles for holding tight. Social-Emotional: empathy stimulated by turn-taking. Cognitive: logical thinking when placing arms and legs right for rotating downwards.





Slide

Physical: sliding develops spatial awareness and a sense of balance. Furthermore, the core muscles are trained when sitting upright going down. Social-Emotional: empathy stimulated by turn-taking. Cognitive: young children develop their understanding of space, speed and distances when sliding down quickly.



Cannon Cognitive: the cannon set a tangible theme and thus spur dramatic play. Dramatic play supports language and communication skills.



Treasure box Cognitive: object permanence: hiding objects and finding them again. Spurs exploration and dramatic play, stimulating conversations.



Clock panel

Social-Emotional: cooperation with others on turning clock pointers, turn-taking. Cognitive: learning about numeracy and time in a tangible way. Creative: leaving your mark on the playground when setting clock differently.



Climbing net

Physical: supports physical strength and cross-body coordination, which impacts coordination of the right and left part of brain, fundamental for other skills such as the ability to read.



Tunnel

Physical: the children crawl through the tunnel, developing motor skills such as crossbody coordination and proprioception. **Social-Emotional:** turn-taking when passing each other.

Castle Castello



PCM400831



Panels of 19mm EcoCore[™]. EcoCore[™] is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.



Main posts with hot dip galvanised steel footing are available in different materials: Pressure impregnated pine wood posts. Pre-galvanised inside and outside with powder coated top finish steel posts. Lead free aluminium with colour anodised top finish.



All decks are supported by unique designed low-carbon aluminum profiles with multiple attachment options. The grey colored molded decks are made of 75% post-consumer waste PP material with a non-skid pattern and texture surface.

Item no. PCM400831-0901					
Installation Information					
Max. fall height	2	04 cm			
Safety surfacing area	62	2.7 m²			
Total installation time		38.8			
Excavation volume	2	.09 m³			
Concrete volume	0	.75 m³			
Footing depth (standard)		90 cm			
Shipment weight	1,3	321 kg			
Anchoring options	In-ground	~			
	Surface	~			
Warranty Information					
EcoCore HDPE	Li	fetime			
Post	10	years			
PP Decks	10	years			
Ropes & nets	10	years			
Spare parts guaranteed	10	years			



The slides can be chosen in different materials and colours: Straight or curved moulded PE slides in yellow or grey colour. Full stainless steel in on-piece design for more vandalism proof solutions. The stainless-steel activities are made of highquality stainless steel. The steel is cleaned by a total pickling process after manufacturing to ensure a smooth and clean gliding surfaces.



Nets and ropes are made of UV-stabilised PA with inner steel cable reinforcement. The rope is induction treated in order to create a strong connection between steel and rope which leads to good wear resistance.

Elevated activities 12	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	12	3	2
Required	6	4	3

CSA Z614 compliant

Sustainability Data

PCM400831



Cradle to Gate A1-A3	Gate A1-A3 Total CO ₂ CO ₂ e/kg		Recycled materials
	kg CO₂e	kg CO₂e/kg	%
PCM400831-0901	2,308.74	2.48	57.47

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Themed play systems



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Themed play systems" represented by item no.: MSC641100-3717P.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

maiz

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



By Bureau Veritas HSE

www.bureauveritas.dk


+45 7731 1000




PCM400831



* Max fall height | ** Total height





Click to see TOP VIEW

Click to see SIDE VIEW

5 / 08/15/2024