

PCM501



Item no. PCM501-0501		
General Product Information		
Dimensions LxWxH	66x60x64 cm	
Age group	2+	
Play capacity (users)	2	
Colour options		

The Rotating Sand Table is a wonderous sand play experience for children: the lower table can be turned, so that sand or other materials can be shifted through the holes or down on a platform. The upper table has a sand bowl for mixing materials. There is a sieve to filter materials through and a funnel to shift materials from the upper to the lower table. The lower table can be turned to transport materials around to friends on the opposite side of the table. All these play options stimulate an understanding of cause and effect in the child, that feeds into logical thinking skills: if the lower table is turned, materials can be collected or discharged from the higher table. A wealth of manufacturing possibilities in the Rotating Table, producing or transporting, motivate cooperation and dramatic play, and thus communication skills.



### **Rotating Sand Table**

PCM501







#### Desk with bowl and sieve

**Social-Emotional:** children can gather and store materials, cooperate and take a break together. **Creative:** sand can be shifted through the sieve, for understanding of cause and effect and object permanence.



#### Rotating table Cognitive: the rotating element stimulate cause and effect understanding and logical thinking.

# **Rotating Sand Table**



PCM501



Panels of 19mm EcoCore<sup>™</sup>. EcoCore<sup>™</sup> is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.



The steel surfaces are hot dip galvanized inside and outside with lead free zinc. The galvanization has excellent corrosion resistance in outside environments and requires low maintenance.



Play activities like the shouter is made of injection molded high quality UV-stabilized nylon (PA6). The binoculars are made of PUR.

Item no. PCM501-0501			
Installation Information			
Max. fall height		0 cm	
Safety surfacing area	10	.5 m²	
Total installation time	1.1		
Excavation volume	0.18 m³		
Concrete volume	0.00 m³		
Footing depth (standard)	46 cm		
Shipment weight	32 kg		
Anchoring options	In-ground	~	
	Surface	~	
Warranty Information			
EcoCore HDPE	Lifetime		
Hot dip galvanised steel	Lifetime		
Solid plastic parts	10 years		
Spare parts guaranteed	10 years		
Stainless steel	Lifetime		



Sand strainer is made of high-quality stainless steel to ensure durability of the product.



components

# **Sustainability Data**

Cradle to Gate A1-A3

PCM501-0501

PCM501



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO<sub>2</sub> calculation of: Themed play systems



Data version no. 2023-10-05

The  $CO_2$  calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Themed play systems" represented by item no.: MSC641100-3717P.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

#### simile

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000 B U R E A U V E R I TA S

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

**Total CO2** 

emission

kg CO<sub>2</sub>e

37.75

CO2e/kg

kg CO<sub>2</sub>e/kg

1.65

Recycled


materials

%

56.44




PCM501





\* Max fall height | \*\* Total height





PCM501

Click to see TOP VIEW

Click to see SIDE VIEW

5 / 05/23/2024