
NRO409





The magical Wizard's Hideaway with an elevated house and blue roof invites dramatic play as few other structures can do. The benches and table inside stimulate social interaction and make longer stays desirable. A table on the side of the house invites meeting and provides a nice seat for care givers. The stair up to elevated level and the double slide

benefit motor skills such as cross coordination and spatial awareness. These are both fundamental for building up an understanding of the body in time and space, a competence important for managing obstacles and traffic safely. The stairway features a broad transfer platform and good handholds to support children of all abilities in accessing. All in all, hours of magic play together.







NRO409





Side desk

Social-Emotional: fine meeting place and a space creator. Sharing and cooperation from both sides create a social scenario that supports communication and cooperation.











Double slide

Physical: sliding develops spatial awareness and a sense of balance. Furthermore, the core muscles are trained when sitting upright going down. Social-Emotional: invites socializing, supports parent-child and peer-to-peer play. Cognitive: young children train their understanding of space, speed and distances when sliding down quickly.







Accessible stairway

Physical: climbing the accessible stairway is for all and supports cross coordination as well as arm and leg muscles. For young children, walking stairs and alternating feet is developed. Social-Emotional: room for active breaks and adult helpers. An inclusive space.



Platform

Social-Emotional: Important life skills like courage, self-confidence, consideration and turn-taking are built.





Cognitive: suggests a theme and supports dramatic play, which stimulates language and communication skills.





Social-Emotional: invites socializing and cooperation. Allows for a break with friends.

NRO409



10 Years

Lifetime



All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).



The paint used for colored components is water based environmental friendly with excellent UV resistance. The paint is in compliance with EN 71 Part 3.



The Robinia products are designed with a KOMPAN color concept with a number of different standard colors. The wood can also be supplied as untreated or with brown painted with a pigment that maintains the wood color.

Item no. NRO409-0621					
Installation Information					
Max. fall height		2'11"			
Safety surfacing area		475ft²			
Total installation time		26.6			
Excavation volume	1.	.14yd³			
Concrete volume		0yd³			
Footing depth (standard)		2'7"			
Shipment weight	24	185lbs			
Anchoring options	In-ground	~			
	Surface	~			
Warranty Information					
PE Slide	10	Years			
Robinia Wood	10	Years			
Ropes & nets	10	Years			



The product/activities are preassembled from the factory to ensure all safety requirements are considered.



The hardware is made of stainless steel or galvanized steel to ensure durable connections with a high corrosion resistance.

Elevated activities 2	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	2	1	1
Required	2	1	1

ASTM F1487 compliant

Spare Parts Availability

Stainless steel

components

Sustainability Data

NRO409





Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
NRO409-0621	397.82	0.39	4.91

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

200mm

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000









* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





Click to see TOP VIEW

Click to see SIDE VIEW