Embankment Slide, 8ft high, 3ft wide

KSL30702



Item no. KSL30702-0401				
General Product Information				
Dimensions LxWxH	14'10"x3'5"x11'5"			
Age group	2 - 12			
Play capacity (users)	2			
Color options				



The Embankment Slide is extremely attractive. It makes children loop uphill and slide down again and again. The Embankment Slide will be a main attraction in the playground. Apart from the immense thrill of sliding, the Embankment Slide also helps children develop essential motor skills such as a sense of balance and space. These are important in managing the world confidently and securely. The repeated loop of sliding and running back up for one more go is excellent cardio and muscle strength training. Gaining the courage to go down the tall slide adds a sweet sensation of achievement. This socialemotional benefit is further enhanced by the cooperation and turn-taking skills children use when going down the slide together. The width allows for that and will enable caregivers to join the play.



Embankment Slide, 8ft high, 3ft wide

KSL30702





Wide slide

Physical: sliding develops spatial awareness and a sense of balance. Furthermore, the core muscles are trained when sitting upright going down. Social-Emotional: invites socializing, supports parent-child and peer-to-peer play. Cognitive: young children develop their understanding of space, speed and distances when sliding down quickly.



Embankment Slide, 8ft high, 3ft wide





KSL30702

The stainless steel components are made of high quality stainless steel in compliance with global playground standards. The steel is glass blasted after manufacturing to ensure a smooth gliding surface.



At 35°, the slide is set to the optimum angle to ensure both gliding fun and safety.



Catering to different terrains, the embankment slides are available in 9 lengths from 1 - 3m.

Item no. KSL30702-0401				
Installation Information				
Max. fall height	3'4"			
Safety surfacing area	170ft ²			
Total installation time	6.6			
Excavation volume	1.09yd³			
Concrete volume	0.69yd³			
Footing depth (standard)	3'7"			
Shipment weight	841lbs			
Anchoring options	In-ground 🗸			

Warranty Information	
Spare Parts Availability	10 Years
Stainless steel slide	10 Years

Elevated activities	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present			
Required			

ASTM F1487 compliant

Sustainability Data

KSL30702



Cradle to Gate A1-A3	Total CO ₂ CO ₂ e/kg emission		Recycled materials
	kg CO₂e	kg CO₂e/kg	%
KSL30702-0401	716.04	4.20	49.97

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: GXY916012-3417.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023




By Bureau Veritas HSE

www.bureauveritas.dk


+45 7731 1000




KSL30702



* Max fall height | ** Total height





KSL30702

Click to see TOP VIEW

