M385





Item no. M38570-3418P

General Product Information

Dimensions LxWxH 61x407x67 cm
Age group 3+
Play capacity (users) 3
Colour options








WOW! The long, classic KOMPAN embankment slide invites fun play activity for all children and those childish at heart. On the embankment run loop, children will run up and slide down again and again. Sliding on the embankment slide is an extra fun experience, as friends can run up or down next to their friends who are using the slide. There is room

for many and for different ages and abilities. An embankment hill is a great place for rolling or running, too. This is fun, playful cardio training for children. When children slide, they are training their core muscles, sitting upright while rolling down. This stimulates trunk stability, important for avoiding back and neck pains, a growing problem in children due to increasingly

sedentary lifestyles. Running uphill or downhill, children train their balance and coordination as well as their muscle strength. They develop risk management skills, too, holding back or letting go downhill.











#### Slide

Physical: develops spatial awareness, sense of balance and trains core muscles when sitting upright going down. Social-Emotional: empathy stimulated by turn-taking.




M385




10 years

10 years







The stainless-steel slides with one-piece slide bed are made of high-quality stainless-steel AISI 304



The handle is made of polypropylene PP, which has excellent impact strength and is suitable for hot climates.

Item no. M38570-3418P			
Installation Information			
Max. fall height	100 cm		
Safety surfacing area	19.0 m²		
Total installation time	4.9		
Excavation volume	0.27 m³		
Concrete volume	0.00 m³		
Footing depth (standard)	61 cm		
Shipment weight	219 kg		
Anchoring options	In-ground ✓		
Warranty Information			
EcoCore HDPE	Lifetime		



Spare Parts Guarantee

Stainless Steel Slide

## **Sustainability Data**

M385





Cradle to Gate A1-A3	Total CO <sub>2</sub> emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
M38570-3418P	383.84	2.43	63.74

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

#### Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



#### Verification of CO<sub>2</sub> calculation of: Freestanding play equipment



Data version no. 2023-10-05

The  $\mathrm{CO}_2$  calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: GXY916012-3417.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

misi

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of  $CO_2$  calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000









\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height





Click to see TOP VIEW

Click to see SIDE VIEW