



# Agora Steel Hangout Bench

PAR4163



Item no. PAR4163-0609	
<b>General Product Information</b>	
Dimensions LxWxH	0'9"x4'11"x2'4"
Age group	-
Play capacity (users)	-
Color options	



The AGORA HANGOUT offers a casual and informal seating opportunity suitable for most places. For example, to give walkers a short break along a walkway, or kids a cool hangout spot in a schoolyard or what about a comfortable spot for watching sports? The design leaves a small footprint, making it ideal for narrow places or environments where space

optimization is key. The complete AGORA line is available in highly vandalism resistant steel versions where tabletop and seat are made of perforated HDG Steel, leaving very little need for maintenance. The steel versions are available in accent colors to support a city's visual identity or make a statement.

# Agora Steel Hangout Bench

PAR4163



The steel surfaces are hot dip galvanized inside and outside with lead free zinc. The galvanization has excellent corrosion resistance in outdoor environments and require low maintenance. Painted steel parts are hot dip galvanized before powder coating.



Powder coated top finish on top of galvanization is processed in two steps: Light grinding and clean sweeping, powder coating - thickness 70-120 µm.



The Agora full steel assortment is available in 9 standard colors to match the selected color scheme on the play, sport or fitness site.

Item no. PAR4163-0609

### Installation Information


Total installation time	0.8
Excavation volume	0.25yd <sup>3</sup>
Concrete volume	0.17yd <sup>3</sup>
Footing depth (standard)	2'0"
Shipment weight	65lbs
Anchoring options	Surface ✓ In-ground ✓

### Warranty Information

Hot dip galvanized steel	Lifetime
Painted toplayer	10 Years
Spare Parts Availability	10 Years
Stainless steel components	Lifetime



KOMPAN outdoor furniture is available for surface and in-ground installation. Surface installation involves anchoring to the base layer, and in-ground installation is direct in-ground or additional hot-dip galvanized steel brackets.



The hardware is made of stainless steel or galvanized steel to ensure a high corrosion-resistant, durable connection.



The benches and tables can be combined in multiple settings by choosing individual products or assembled into larger solutions. See catalog pages for more inspiration.

# Sustainability Data

PAR4163



Cradle to Gate A1-A3	Total CO <sub>2</sub> emission	CO <sub>2</sub> e/kg	Recycled materials
	kg CO <sub>2</sub> e	kg CO <sub>2</sub> e/kg	%
<b>PAR4163-0609</b>	71.21	2.58	50.00

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

**Kompan A/S**  
 C.F. Tietgens Boulevard 32C  
 DK-5220 Odense SØ  
 Denmark



## Verification of CO<sub>2</sub> calculation of: Park



Data version no. 2023-10-05

The CO<sub>2</sub> calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Park" represented by item no.: PAR4070-0001.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

**Date: 30. October 2023 | Valid until: 30. October 2025**

**Verified by:**

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

**Publication date: 30. October 2023**

**By Bureau Veritas HSE**  
 www.bureauveritas.dk  
 +45 7731 1000

