
Movable Hammocks

PCM701



Item no. PCM701-0902				
General Product Information				
Dimensions LxWxH	10'10"x8'0"x2'2"			
Age group	5 - 12			
Play capacity (users)	6			
Color options	\bullet			





combinations support fun body positions. Children can be seated, lying, standing or kneeling when relaxing together. This makes the Movable Hammocks relevant for most ages ages and users, including users with disabilities. The movability of the hammocks invites cooperation and teaches cause and effect. The gentle, swaying feel when lying in the hammock is a soothing motion, known to calm down anxiousness. All in all, pleasant furniture for playful meetings.





PCM701





Movable hammock

Physical: sense of balance when swaying, body pressure when lying. Support users lying or seated. Social-Emotional: meeting, pushing friends gently back and forth, turntaking. Creative: changing direction and position of hammock.



Movable Hammocks



PCM701



Panels of 19mm EcoCore[™]. EcoCore[™] is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of a core produced from 100% recycled material.



Steel posts are galvanized inside and outside

ultimate corrosion resistance in all climates

around the world.

with powder coated top finish. This provides an



The stainless-steel activities are made of highquality stainless steel. The steel is cleaned by a total pickling process after manufacturing to ensure a smooth and clean gliding surfaces.

Item no. PCM701-0902			
Installation Information			
Max. fall height		1'11"	
Safety surfacing area	3	315ft ²	
Total installation time		5.2	
Excavation volume	0.2	29yd³	
Concrete volume	0.0)5yd³	
Footing depth (standard)		2'9"	
Shipment weight	30)2lbs	
Anchoring options	In-ground	~	
	Surface	~	
Warranty Information			
EcoCore HDPE	Life	etime	
Membrane	2 \	/ears	
Post	10 \	/ears	
Ropes & nets	10 \	/ears	
Spare Parts Availability	10 \	/ears	



Belt seat is made of PUR. All components retain their properties in the temperature range of -30°C to 60°C. All materials are stabilized to a maximum without use of heavy metal stabilizers.

Elevated activities 0	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	0	1	1
Required	0	1	1

ASTM F1487 compliant

Sustainability Data

PCM701



Cradle to Gate A1-A3	Total CO₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
PCM701-0902	355.74	3.35	46.00

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Park



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Park" represented by item no.: PAR4070-0001.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mind

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023




+45 7731 1000

By Bureau Veritas HSE

www.bureauveritas.dk





PCM701





* Max fall height | ** Total height





Click to see TOP VIEW

Click to see SIDE VIEW

5 / 09/12/2024