ELE400062






General Product Information

Dimensions LxWxH 176x176x77 cm
Age group 3+
Play capacity (users) 7
Colour options





according to which colour seat you get. The children push the carousel and cooperate and negotiate their way through who are seated where, who are pushing and who are standing. After a while the older children figure out how to cooperate and get the carousel going from a seated position simply by coordinating the movements of the upper and lower bodies. Doing that the children can work the carousel up to a quite speedy spin. The Multispinner

carousel was tested with children from the age of 3 and up to 16 years in respectively two kindergartens, a primary and a secondary school. The feedback and the observations of the children, carers and teachers gave important input to the final design of the Multispinner Carousel.Note to Australian customers: fall height as per AS 4685 is 150cm minimum.





ELE400062









Spacious surface

Physical: standing or sitting here trains agility, balance and coordination, the motor skills ABCs. Jumping off builds bone density. Social-Emotional: using the surface promotes socialising and turn-taking skills.











Tilted position rotation

Physical: coordination and balance are supported when spinning. The leg, core and arms are trained when pushing and pulling the multi-spinner into motion. Social-Emotional: cooperation, consideration and turn-taking. Wide span of user ages and abilities.

Cognitive: logical thinking, figuring out how to make rotation when seated, speeding up or slowing down the spin.







Coloured bowls

Social-Emotional: encourages children to negotiate which color seat they want, turntaking. Cognitive: supports rules understanding and games: children will find reasons for choosing a colour.

ELE400062



100 cm

26.1 m²

 0.44 m^3

 $0.31 \, \text{m}^3$

100 cm

199 kg

3.8




The Multispinner grey base is made of recyclable PE made from 33% post-consumer Materials. The base is moulded in one piece with integrated metal thread bushings and water drain holes to ensure high durability in all climates around the world. Each bowl is mounted separately into the base.



The bowls are made of recyclable PE made from 33% post consumer materials. The bowls are molded in one piece with integrated metal thread bushings and water drain hole to ensure high durability in all climates around the world.



Heavy-duty engineered bearing system with single row deep groove ball bearings with rubber seals. The fully closed bearing has lifetime lubricated and maintenance free.



Surface ✓ Warranty Information Bearing Construction 5 years Hardware 10 years Hollow PE parts 10 years Galvanised Steel Lifetime Spare Parts Guarantee 10 years



The steel surfaces are hot-dip galvanised inside and outside with lead-free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.



The Multispinner carousel is offered in tree different color combination. Two with a grey base and a third GreenLine version in dark teal color.



GreenLine versions in teal color are designed with molded PE parts which consist of 33% recycled post-consumer ocean waste. Ocean waste is collected from the maritime industry, such as fishing nets, ropes and trawls.



Sustainability Data

ELE400062





C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: GXY916012-3417.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023







Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
ELE400062-3717	315.34	2.12	40.97


The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))


ELE400062



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





Click to see TOP VIEW

Click to see SIDE VIEW