
Rock-It

GXY934



Item no. GXY934000-3717		
General Product Information		
Dimensions LxWxH	122x96x120 cm	
Age group	6+	
Play capacity (users)	8	
Colour options		







The Rock-it is a magnificent piece of equipment which encourages cooperative amongst tweens and teen as a result of its compact design. The adequate handhold on the top of the centre beam allows for a firm grip and encourages users to use their upper body muscles, which are often underused in older children. Leg and core muscles are put to the test by the pulling and pushing to make the Rock-it rock. Healthy competition is often seen when using the Rock-It as tweens love to test out their negotiation and teamwork skills when formulating games.

Data is subject to change without prior notice.


Rock-It

GXY934





Handhold Physical: the possibility to hold onto more areas of the handhold ensures a good grip, necessary for spinning intensely. This trains the hand and arm muscles.





Rocking together Social-Emotional: the possibility of rocking two together trains cooperation skills and consideration of others.



Platform Social-Emotional: courage, self-confidence, consideration and turn-taking are built when children share the platform.

Rock-It

GXY934





The steel surfaces of GALAXY are hot-dip galvanised inside and outside with lead-free zinc. The galvanisation has excellent corrosion resistance and requires low maintenance.



The upper round handle is made with a galvanised steel insert and covered with soft PUR rubber with groves that ensures good handhold while rocking.



The deck is made from High-Pressure Laminate HPL with a thickness 17.8mm and non-skid surface texture according to EN 438-6. KOMPAN HPL has high wearing strength to ensure longevity in all climates.

Item no. GXY934000-3717			
Installation Information			
Max. fall height	60) cm	
Safety surfacing area	13.0 m²		
Total installation time	2.1		
Excavation volume	0.38 m³		
Concrete volume	0.30 m³		
Footing depth (standard)	90 cm		
Shipment weight	122 kg		
Anchoring options	In-ground 🗸		
	Surface	~	
Warranty Information			
Galvanised Steel	Lifetime		
PUR Components	10 years		
Spare Parts Guarantee	10 years		



The rocking movement over two axes is made by heavy duty scaled ROSTA torsion spring element. The two ROSTA elements are noisefree and are maintenance-free.



Galaxy products are available in different colour combinations with either hot-dip galvanised steel surface treatment or a powder-coated finish to selected steel components. Colours of the activities are adjusted to support the individual colour combination.



Sustainability Data

Cradle to Gate A1-A3

GXY934000-3717

GXY934



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO, calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO, calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: GXY916012-3417.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO, calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



www.bureauveritas.dk

BUREAU VERITAS

Total CO2

emission

kg CO₂e

214.91

CO2e/kg

kg CO₂e/kg

2.66

Recycled

materials

%

23.12

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))




GXY934


* Max fall height | ** Total height | *** Safety surfacing area

KOMPAN Let's play

* Max fall height | ** Total height



GXY934000 *60cm **120cm ***13m²



GXY934000

Click to see TOP VIEW

Click to see SIDE VIEW

5 / 05/23/2024