# **Crazy Hen**

M101



Item no. M10170-01P		
General Product Information		
Dimensions LxWxH	36x94x77 cm	
Age group	1+	
Play capacity (users)	1	
Color options		



The Crazy Hen was a token for play for 50 years: the whimsical bird-look evokes children's curiosity. The rocking sensation make them want to come back again and again. Movement response is one of the greatest play sensations there are. Apart from the fun, this adds a feeling of control to the child's play. The responsive movement also trains the understanding of cause and effect in young children: that actions have an effect on the world. Rocking on the Crazy Hen trains the child's sense of balance and space as well as hand and arm muscles when holding tight and pushing your feet hard into the foot support. All of these basic motor skills and muscle training actions help train the child's bodily cognition, supporting important life skills such as being able to sit still on a chair or navigate traffic securely.





# **Crazy Hen**

M101





Theme Cognitive: suggests a theme and supports dramatic play, which stimulates language and communication skills.





### Handhold Physical: the vertical handgrips ensure a firm grip at different heights, necessary for rocking intensely. This trains hand and arm muscles.



#### Foot support

Physical: a good footrest supports intensive rocking. Rocking stimulates the senses of balance and space that are fundamental in managing the world securely. To rock intensely also supports coordination and muscle strength.




### Rocking spring

Physical: response to movements adds to spatial awareness and sense of balance. These are fundamental motor skills that help the child's ability to sit still on a chair which takes a good sense of balance. Cognitive: trains the understanding of cause and effect: when I move my body, the spring responds with movement.

## **Crazy Hen**

M101





The springs are fixed by unique anti pinch fittings for maximum safety and long lifetime.



KOMPAN Springs are made of high quality spring steel according to EN10270. The springs are cleaned by phosphating before they are painted with an epoxy primer and a polyester powder coating as top finish. The springs are fixed by unique anti pinch fittings for maximum safety and long lifetime.



Handles and foot rests are made of high-quality nylon (PA6), which requires low maintenance.

Item no. M10170-01P			
Installation Information			
Max. fall height	6	0 cm	
Safety surfacing area	7.	.4 m²	
Total installation time		2.3	
Excavation volume	0.19 m³		
Concrete volume	0.00 m³		
Footing depth (standard)	45 cm		
Shipment weight	30 kg		
Anchoring options	In-ground 🗸		
	Surface	~	
Warranty Information			
EcoCore HDPE	Life	Lifetime	
Handle	10 years		
Spare parts guaranteed	10 years		
Springs	5 years		



KOMPAN GreenLine versions are designed with ultimate environmentally friendly materials with lowest possible CO2e emission factor such as EcoCoreTM panels of +95% post consumer recycled ocean waste.



### **Sustainability Data**

Cradle to Gate A1-A3

M10170-01P

M101



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO<sub>2</sub> calculation of: Freestanding play equipment



#### Data version no. 2023-10-05

The  $CO_2$  calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: GXY916012-3417.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000



The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

**Total CO2** 

emission

kg CO<sub>2</sub>e

63.52

CO2e/kg

kg CO<sub>2</sub>e/kg

2.38

Recycled

materials

%

48.28




M101




\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height



M10176 \*60cm \*\*77cm \*\*\*7.4m<sup>2</sup>



M10176P

Click to see TOP VIEW

5 / 10/11/2024