
PCX0001





General Product Information

Dimensions LxWxH 7'10"x2'5"x3'7"

Age group 2 - 5

Play capacity (users) 10



Color options







The BRYANT Play Panels with Talk Tubes is a play space divider and ground-level activity with enormous play value. Around the panels, children can find several tactile elements to stimulate their physical, social-emotional, and cognitive development. The different activities invite many children to play side by side for a long time. The verbal interaction when playing

with the talk tube stimulates social skills such as turn-taking, sharing, and listening and cognitive skills such as language development.

When making stories about the expressions of the faces, children develop their emotional skills. In contrast, the carved geometric shapes, numbers, and the tube allow for cognitive development, understanding of cause-and-effect, and fine motor skills when following the direction of the shapes with fingers.



PCX0001










Play panel

Social-Emotional: communication, listening, sharing when exploring panel with friends. Cognitive: stimulate children's language skills and knowledge of numbers and geometric shapes. The passing of materials through funnels supports the children's logical thinking and for younger children the understanding of object permanence: that materials don't vanish, but run through at the other end.





Talk tube Social-Emotional: encourages communication and social interaction. Cognitive: evokes curiosity and stimulates an understanding of cause and effect and object permanence: objects and people still exist when out of sight.







Face expressions

Social-Émotional: helps children learn to differentiate and talk about different emotions. Cognitive: stimulates theory of mind: that others may have different feelings. Stimulates the understanding of symbols and facial expressions as symbols for emotions.

PCX0001






All steel components are made of high quality materials. The posts have an alloy with improved tensile and yield strength according to the NYCP material specification. The painted aluminum post caps are riveted to the top of the post.



All panels and one-piece welded steel grids are made of low carbon steel and corrosion treated by hot dip galvanization or metallization with a minimum thickness according to NYCP material specification.



The products are designed in three different standard color combinations: Red and light blue, Light blue and lime green, Green and lime green. The layouts of the play structures can be customized through the KOMPAN Variant Team.

Item no. PCX000100-0602				
Installation Information				
Max. fall height	0'0"			
Safety surfacing area	Oft²			
Total installation time	4.3 hours			
Excavation volume	0.08yd ³			
Concrete volume	0yd³			
Footing depth (standard)	2'0"			
Shipment weight	337lbs			
Anchoring options	In-ground 🗸			

Warranty Information			
Eco	Core HDPE	Lifetime	
HDC	G post	Lifetime	
HPL	decks	15 Years	
Rop	es & nets	10 Years	
Spa	re Parts Availability	10 Years	


Elevated activities 0	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	0	3	2
Required	0	2	2

ASTM F1487 compliant

Sustainability Data

PCX0001





Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
PCX000100-0602	333.54	2.75	48.31

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Play systems



Data version no. 2023-10-05

The $\mathrm{CO_2}$ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Play systems" represented by item no.: PCM200321-0950.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

misi

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of ${\rm CO_2}$ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000









* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



PCX000100

** 3'-7" / 110cm



Click to see TOP VIEW

Click to see SIDE VIEW