

NRO405



Item no. NRO405-0621			
General Product Information			
Dimensions LxWxH	262x182x287 cm		
Age group	2 - 5		
Play capacity (users)	8		
Colour options			





table, too. The stair and slope in and out the house makes varied accesses that stimulate both crawling and climbing. This trains crosscoordination, that is fundamental to the ability to e.g. read. When children do dramatic play, they play out an understanding of everyday scenarios negotiating through their life observations. While doing so, they constantly talk and communicate with their peers, thus hugely stimulating language skills and thinking skills.



NRO405





Theme Cognitive: suggests a theme and supports dramatic play, which stimulates language and communication skills.





Window Social-Emotional: invites interaction between sides and cooperative play.



Bench Social-Emotional: invites socializing and cooperation. Allows for a break with friends.



Slope Physical: inclined crawling or walking up or

down develops the sense of balance and cross coordination. **Social-Emotional:** the inclination makes climbing feel secure, especially for younger children.



Supportive handholds

Physical: handhold provides good grip for less confident climbers. Pulling yourself up and in trains upper body muscles. **Social-Emotional:** allows for a range of physical abilities to enter independently and securely, supporting play for all.



Stairs

Physical: cross coordination is used, supporting the cooperation of the left and right halves of the brain, which is necessary for reading. For young children, spatial awareness is trained when walking stairs.



NRO405



All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).

KOMPAN

The paint used for coloured components is water based environmentally friendly with excellent UV resistance. The paint is in compliance with EN 71 Part 3.



The Robinia products are designed with a KOMPAN colour concept with a number of different standard colours. The wood can also be supplied as untreated or with brown painted with a pigment that maintains the wood colour.

Item no	NRO4	05-0621
		00 002 1

Installation Information

Max. fall height	48	cm
Safety surfacing area	28.4	m²
Total installation time	1	5.5
Excavation volume	0.46	₀ m³
Concrete volume	0.00) m³
Footing depth (standard)	60	cm
Shipment weight	740) kg
Anchoring options	In-ground	~
	Surface	~

Warranty Information

Hot dip galvanised steel	Lifetime
Robinia wood	15 years
Ropes & nets	10 years
Spare parts guaranteed	10 years



The product/activities are preassembled from the factory to ensure all safety requirements are considered.



The hardware is made of stainless steel or galvanised steel to ensure durable connections with a high corrosion resistance.

Elevated activities 3	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	0	0	0
Required	1	0	0



Sustainability Data

Cradle to Gate A1-A3

NRO405-0621

NRO405



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO, calculation of: Nature play



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NR0409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mind

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO, calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023





The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Total CO2

emission

kg CO₂e

155.81

CO2e/kg

kg CO₂e/kg

0.25


Recycled

materials


%


1.84

NRO405



KOMPAN Let's play





* Max fall height | ** Total height

Click to see TOP VIEW

Click to see SIDE VIEW

5 / 05/23/2024