MSC5422





Item no. MSC542201-3417P

General Product Information

Dimensions LxWxH 9'2"x7'7"x4'11"

Age group 2 - 5

Play capacity (users) 12

Color options



The Toddler's Castle with Rock Climber is an inviting playground activity that attracts children to be active and to interact in thrilling ways. The side with the cat has a nice table with a play ring and sand sieve, inviting exploration, meetings, and socializing, the beginning of the first friendships. The stairway is wide and accommodates crawling. So does the steeper

rock-climb, adding to the variety. This develops children's cross-coordination, an important motor skill that with others supports later reading skills. Sliding is a great thrill for the youngest children. It stimulates trunk stability and the sense of balance and trains spatial understanding. These skills are important in navigating the world securely. They are the

foundation of all motor skills and thus a foundation for physical confidence. The familiar themes inspire stories, developing language skills.



MSC5422





Slide

Physical: sliding develops spatial awareness and a sense of balance. Furthermore, the core muscles are trained when sitting upright going down. Social-Emotional: empathy stimulated by turn-taking. Cognitive: young children develop their understanding of space, speed and distances when sliding down quickly.





Rock climber

Physical: supports cross coordination and leg, arm and hand strength. Social-Emotional: the incline makes climbing feel safer, especially for younger children.



Theme

Cognitive: suggests a theme and supports dramatic play, which stimulates language and communication skills.







Stairway

Physical: climbing the stairs supports cross coordination as well as arm and leg muscles. Social-Emotional: room for active breaks and adult helpers.







Desk with ring

Social-Emotional: a place for meeting and exchanging. **Creative:** sand and construction play encouraged with sieve in desk.

MSC5422





Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of a core produced from 100% recycled material.



All floors are made of High-Pressure Laminate HPL with a thickness 17.8mm and non skid surface texture according to EN 438-6. KOMPAN HPL has high wearing strength to ensure long lifetime in all climates.



The steel surfaces are hot-dip galvanized inside and outside with lead-free zinc. The galvanization has excellent corrosion resistance in outside environments and requires minimal maintenance.

Item no. MSC542201-3417P						
Installation Information						
Max. fall height		2'	0"			
Safety surfacing area		309	ft²			
Total installation time		9	8.			
Excavation volume		0.46y	d³			
Concrete volume		0y	d³			
Footing depth (standard)		2'	0"			
Shipment weight		439lbs				
Anchoring options	In-ground	b	•			
	Surface		•			

EcoCore HDPE	Lifetime
Hot dip galvanized steel	Lifetime
HPL decks	15 Years
Spare Parts Availability	10 Years


Warranty Information



The slide bed can be chosen in different materials: Straight molded PE or stainless steel slide bed t=2mm. Sides of the slides are made of EcoCore™.



Rock wall handholds are made of pressure molded high quality nylon (PA6). PA6 has good wearing and impact strength.



Sand strainer is made of high-quality stainless steel to ensure durability of the product.

Elevated activities 2	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	2	1	1
Required	1	1	1



Sustainability Data

MSC5422





Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
MSC542201-3417P	314.80	2.01	52.31


The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Themed play systems



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Themed play systems" represented by item no.: MSC641100-3717P.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

misi

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of ${\rm CO_2}$ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000





MSC5422



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





Click to see SIDE VIEW