
Sand Creator

PCM104031



Item no. PCM104031-0901			
General Product Information			
Dimensions LxWxH	11'6"x8'0"x7'1"		
Age group	2 - 5		
Play capacity (users)	16		
Color options			



The Sand Creator is an immensely attractive sand play unit that will absorb children in play for hours and hours. The crane is worked by pulling the chain. The sand bucket will go up or down or all around, but it will stay put when the chain is let go of. This apart from providing fascinating sand play, is a great training of children's logical thinking skills. The negotiation and cooperation to get sand to and from the funnel via the bucket is great for older children and develops social-emotional skills. In the house, multiple tactile elements can be moved to entertain children who wait for the sand crane. The sand funnel here supports children's understanding of object permanence: that things can still exist when out of sight. The

n

H

platform is open and can be accessed in multiple ways, allowing for all users to play.





PCM104031





Sand bucket Physical: cross coordination thereby developing cooperation of left and right brain half which is necessary for academic skills such as reading. Cognitive: understanding of object permanence, emptying and filling bucket.





Window Social-Emotional: invites interaction between sides and cooperative play.



Sand shovel

Physical: develops dexterity and upper body muscles. **Cognitive:** understanding of object permanence, emptying and filling scoop.



Desk Social-Emotional: fine meeting place and a

space creator. Sharing and cooperation from both sides create a social scenario that supports communication and cooperation.



Play sphere

Social-Emotional: can be played from both sides, encouraging cooperation. **Cognitive:** cause and effect understanding. **Creative:** leave a mark and place the spheres at different positions.



Sand scoops

Physical: hand eye coordination and pushpull movements. Social-Emotional: invites cooperation with two sides and provides for parallel play. Cognitive: logical thinking: cause and effect understanding when running scoops in grooves or shifting materials from scoop to scoop. Creative: shifting scoops, creating new scoop positions.



Theme

Cognitive: suggests a theme and supports dramatic play, which stimulates language and communication skills.

Sand Creator





Panels of 19mm EcoCore[™]. EcoCore[™] is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of a core produced from 100% recycled material.




Main posts with hot-dip galvanized steel footing are available in different materials: Pressure impregnated pinewood posts. Pre-galvanized inside and outside with powder-coated top finish steel posts. Lead-free aluminum with color anodized top finish. Greenline TexMade posts of 100% post-consumer recycled PE and textile waste.



All decks are supported by uniquely designed low-carbon aluminum profiles with multiple attachment options. The grey-colored molded decks are made of 75% post-consumer ocean waste PP material with a non-skid pattern and texture surface.

Item no. PCM104031-0901					
Installation Information					
Max. fall height		2'3"			
Safety surfacing area	3	361ft ²			
Total installation time		14.8			
Excavation volume	0.3	39yd³			
Concrete volume	0.0)1yd³			
Footing depth (standard)		2'11"			
Shipment weight	90	04lbs			
Anchoring options	Surface	~			
	In-ground	~			
Warranty Information					
EcoCore HDPE	Life	etime			
Post	י 10	<i>r</i> ears			
PP Decks	י 10	<i>r</i> ears			
Solid plastic parts	י 10	<i>l</i> ears			
	40.5				

KO



The sand hoist is designed with upper and lower EcoCore tracks of large diameter that always ensures safe distance between the chains so they cant be crossed for entanglement. The chain is made of high-quality stainless-steel to ensure long durability of the product.

The sand bucket is made in one piece of molded PE. The PE is made with 33% postconsumer materials in different colors with a wall thickness of minimum 5mm. Material in accordance with the European Standard EN 71-3 and tested for UV stability.



KOMPAN GreenLine versions are constructed with the most environmentally friendly materials with the lowest possible CO2e emission factor. TexMade posts, EcoCoreTM panels of 100% post-consumer recycled ocean waste, and molded PP decks.

	Elevated activities 4	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
	Present	4	2	2
	Required	2	1	1

ASTM F1487 compliant

Shipment weight	90	4lbs		
Anchoring options	Surface	~		
	In-ground	~		
Warranty Information				
EcoCore HDPE	Life	time		
Post	10 Y	ears		
PP Decks	10 Y	ears		
Solid plastic parts	10 Y	ears		
Spare Parts Availability	10 Y	ears		

Sustainability Data

PCM104031



Cradle to Gate A1-A3	Total CO₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
PCM104031-0950	555.91	1.64	70.75
PCM104031-0901	609.12	1.96	65.15

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark







Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Play systems" represented by item no.: PCM200321-0950.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000





PCM104031

* Max fall height | ** Total height | *** Safety surfacing area

KOMPAN Let's play

* Max fall height | ** Total height





Click to see TOP VIEW

5 / 10/12/2024