
SW990205















The rounded shapes of the Inclusive Swing Seat attract children of all ages and abilities. The self-initiated movement, the great ergonomic and the feeling of security while swinging will make children return again and again for more play.

For children who need assistance entering, or support for their seated position, the one-hand

operated harness offers comfortable grips and security. The upright swinging position allows all children eye contact with their care giver and a view of the surroundings while swinging. The trill of social interaction is ensured by the care giver pushing the child into motion from the front or rear side of the swing seat. When swinging, children train the sensory system of

balance, focal tracking and muscle tonus. But not least, for all children, swinging is one of the most beloved play activities. Participating in the joy of swinging may be the biggest socialemotional thrill of the playground.



SW990205













Inclusive Seat

Physical: balance, coordination and spatial awareness are developed when swinging. These are necessary skills for judging distances and navigating. The swinging movement trains arm, leg and core muscles. Social-Emotional: the upright swinging position allows children eye contact with their care giver. The seat is shaped to support varied body sizes. Cognitive: cause and effect understanding and thinking skills for younger children when swinging.







Harness

Physical: The harness can be operated with one hand and is clicked open and locked. The raised position of the harness allows for easy transfer in and out of the seat. Social-Emotional: The harness has several grip supports to ensure the feeling of security when swinging.

SW990205






The inclusive swing seat is made of recyclable polyethylene (PE) using 33% post-consumer materials. The seat is molded in one piece and equipped with a drain hole to avoid water accumulation. The ergonomic design enables a safe and comfortable seating position.



The Harness is made of molded recyclable polyethylene (PE) from 33% post-consumer materials. The Harness utilizes a stainless-steel torsion spring, which makes the Harness stay in all positions to secure easier user entry and exit. The harness lock is designed with a one-handed operation slider made from stainless steel.



The front bumper has a solid polypropylene (PP) core with a softer outer layer of thermoplastic rubber (TPE) and an 8mm thick EPDM membrane rear bumper. The soft, shockabsorbent bumpers with nonslip surfaces make the swing seat highly safe for caretakers.



Warranty Information			
Chains	10 Years		
Hollow PE Parts	10 Years		
Movable parts	2 Years		
PE/PP Components	5 Years		
Spare Parts Availability	10 Years		



The seats are available with chains of either Ø6 hot dip galvanized steel with surface treatment according to ISO1461 or with Ø6 high-quality stainless-steel chains. Furthermore, the swing seat has a unique KOMPAN self-starter function with four chains of yolk suspension.



The KOMPAN Inclusive swing seat is available in six color combinations to ensure it fits any playground style. The seats fit all KOMPAN swings with steel crossbeams at 2.5m and 3m heights.



KOMPAN GreenLine versions are designed with ultimate environmentally friendly materials with the lowest possible CO2e emission factor, such as EcoCore™ molded PE parts of 33% post-consumer recycled.

Elevated activities 0	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	0	0	0
Required	0	0	0

ASTM F1487 compliant

Sustainability Data


SW990205





C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark







Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: KSW92011-0910.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:




Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023





The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))





* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height

Click to see SIDE VIEW