## Water Channel with Splash Table



Item no. NRO508-0601			
General Product Information			
Dimensions LxWxH	4'6"x10'5"x3'6"		
Age group	2 - 5		
Play capacity (users)	13		
Color options			



The Water Channel with Splash table is a fantastic attraction in the playground, keeping children absorbed in explorative play for hours. The combination of the splash table and water channel accommodates many children in play at the same time. The open design allows for eye contact, cooperation and negotiation across the play space, stimulating socialemotional skills as well as communication and cognitive skills. The splash table can hold materials and the angled water transporter can deliver them to the table. This explorative play offers a multitude of opportunities for creativity and logical thinking, all stimulating children's cognitive-creative development. For example, when the water tap is pushed, water streams and when you release, it stops. This is fundamental for understanding concepts like object permanence.





NRO508

# Water Channel with Splash Table







#### Water tap

Social-Emotional: develops turn-taking and cooperation when helping get water. Opens when pushed with hand, elbow, foot, chin or shoulder. Placed to also be reachable from a seated position. Cognitive: supports cause and effect understanding and logical thinking when figuring out how to push for water and let go for stopping the water stream. Creative: changing the amounts and sequences of the water flow.





#### Splash table with plug

Social-Emotional: meeting point for cooperation and sharing. Develops turn-taking and cooperation. Cognitive: logical thinking and understanding of cause and effect are trained when children stop or let go of water from the basin. Creative: the water plug makes changing water levels possible, which adds to logical thinking skills.



#### Water channel

Social-Emotional: children cooperate and communicate from both ends when running water through the channel. **Cognitive:** supports logical thinking and cause and effect understanding when children wait for the water to run through.



#### Lower platform

Physical: climbing up, jumping down develops muscle and motor skills such as coordination, which are important in navigating your body securely through the world. Social-Emotional: children can sit and talk together. The step helps children who need extra height to maneuver the tap and water channel.

## Water Channel with Splash Table



NRO508







The steel surfaces are hot-dip galvanized inside and outside with lead-free zinc. The galvanization has excellent corrosion resistance in outside environments and requires minimal maintenance. The integrated water tap open for water when pushed and stops when letting go. The water is supplied trough a pipe located inside the post with hose or pipe connection at the bottom of the post. The supply can either be a loose hose or a permanent in-ground pluming.

Item no. NRO508-0601				
Installation Information				
Max. fall height	1'9"			
Safety surfacing area	313ft <sup>2</sup>			
Total installation time	5.5			
Excavation volume	0.75yd³			
Concrete volume	0yd³			
Footing depth (standard)	2'1"			
Shipment weight	569lbs			
Anchoring options	In-ground 🗸			

Warranty Information			
Hot dip galvanized steel	Lifetime		
Robinia Wood	10 Years		
Spare Parts Availability	10 Years		
Stainless steel components	Lifetime		

 AT I
h

The Robinia wood can be supplied as untreated raw wood or painted with a brown colored transparent pigment that maintains the golden wood color of the wood.

Elevated activities <b>0</b>	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	0	1	1
Required	0	1	1

ASTM F1487 compliant

# **Sustainability Data**

Cradle to Gate A1-A3

NRO508-0601

**NRO508** 



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



### Verification of CO, calculation of: Nature play



Data version no. 2023-10-05

The CO<sub>2</sub> calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NR0409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

### mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO, calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



www.bureauveritas.dk +45 7731 1000



The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

**Total CO2** 

emission

kg CO<sub>2</sub>e

144.56

CO2e/kg

kg CO<sub>2</sub>e/kg

0.65

Recycled

materials

%


8.50



NRO508

\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area





\* Max fall height | \*\* Total height

Click to see TOP VIEW