PCM802





General Product Information

Dimensions LxWxH 7'0"x2'2"x5'7"

Age group 2 - 12

Play capacity (users) 2

Color options



The Double Somersault Bars are great oldschool playground favorites. They are irresistable to children, and their parents, repeatedly. The Double Somersault Bars enable cooperation and sharing in two varied heights. They accomodate more users and different age and ability levels. The Double Somersault Bars cater to a range of play activities, hanging from your arms, swaying and training upper body muscles. They also create space for sitting on the bars with friends, sharing, using social-emotional skills, or somersaulting. Somersaulting on the Double Somersault Bars trains children's proprioception: the awareness of where body parts are and how to coordinate movements to

fit a space. It trains the senses of space and balance, too, making the child able to navigate surroundings securely. Last, but not least, it is great major muscle development.









Somersault bar


Physical: develop balance and core when hanging from knees. Arm, leg and core muscles are developed when climbing up, somersaulting around. Balance and spatial awareness are strengthened. Social-Emotional: meeting, socializing and turntaking when climbing up and down via bar.



PCM802



Steel posts are galvanized inside and outside with powder coated top finish. This provides an ultimate corrosion resistance in all climates around the world.





Item no. PCM802-0902				
Installation Information				
Max. fall height	4'10"			
Safety surfacing area	207ft²			
Total installation time	2.6			
Excavation volume	0.1yd³			
Concrete volume	0.04yd ³			
Footing depth (standard)	2'9"			
Shipment weight	130lbs			
Anchoring options	In-ground 🗸			
	Surface <			
Warranty Information				
Post	10 Years			
Spare Parts Availability	10 Years			
	·			

Elevated activities 0	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	0	1	1
Required	0	1	1



Sustainability Data

PCM802





C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: GXY916012-3417.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023





Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
PCM802-0902	91.22	2.18	61.77


The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))






* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





Click to see TOP VIEW

Click to see SIDE VIEW