



Barn

PCM51531



| | |
|-----------------------------|---|
| Item no. PCM51531-0903 | |
| General Product Information | |
| Dimensions LxWxH | 14'7"x13'5"x11'1" |
| Age group | 2 - 5 |
| Play capacity (users) | 18 |
| Color options |   |



With its farm-themed illustrations, the Barn is a fun attraction for all younger children. The rich variety of manipulative and fun physical activities on elevated and ground levels support dramatic play scenarios. Varied climb, crawl, sway, and slide activities attract and ensure physical activity that trains important motor skills, such as cross-coordination. This

builds body confidence and ultimately stimulates the cross-modal perception, which supports reading skills. The slide, Curly Climber, and double slide vary the choice of going down, which benefits all abilities and ages. And on ground level, around and under the platform, a lovely music panel gathers children in an attractive meeting point, which

features a hammock to enjoy the music from while swaying gently. Dramatic play is the favorite play type for younger children. When supported by rich, varied manipulative and thematic items, KOMPAN Play Institute research shows that the retention and dramatic play increases, even in young children.

Barn

PCM51531



Curly climber

Physical: coordination and proprioception are supported when placing arms and legs correctly for going down. Sense of balance when rotating. Arm muscles for holding tight. **Social-Emotional:** empathy stimulated by turn-taking. **Cognitive:** logical thinking when placing arms and legs right for rotating downward.



Tic-tac-toe panel

Social-Emotional: stimulates communication and turn-taking skills. **Cognitive:** support rules understanding, strategic thinking. **Creative:** leaving marks when tumblers are left in new positions.



Hammock

Physical: coordination and sense of balance when swaying. **Social-Emotional:** meeting, pushing friends gently back and forth, turn-taking. **Cognitive:** for toddlers cause and effect understanding.



Rock climber

Physical: supports cross coordination and leg, arm and hand strength. **Social-Emotional:** the incline makes climbing feel safer, especially for younger children.




Xylophone music panel

Social-Emotional: invites social interaction and co-creation for more children, on both sides. **Cognitive:** understanding of cause and effect when striking tubes and creating sound. **Creative:** the creation of different intensity and tonality stimulates creative skills.



Double slide

Physical: sliding develops spatial awareness and a sense of balance. Furthermore, the core muscles are trained when sitting upright going down. **Social-Emotional:** invites socializing, supports parent-child and peer-to-peer play. **Cognitive:** young children train their understanding of space, speed and distances when sliding down quickly.



Accessible stairway

Physical: climbing the accessible stairway is for all and supports cross coordination as well as arm and leg muscles. For young children, walking stairs and alternating feet is developed. **Social-Emotional:** room for active breaks and adult helpers. An inclusive space.

Barn


PCM51531



Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of a core produced from 100% recycled material.



Main posts with hot dip galvanized steel footing are pre-galvanized inside and outside with powder coated top finish.



All decks are supported by uniquely designed low-carbon aluminum profiles with multiple attachment options. The grey-colored molded decks are made of 75% post-consumer ocean waste PP material with a non-skid pattern and texture surface.


| | |
|--------------------------|--------------------------|
| Item no. PCM51531-0903 | |
| Installation Information | |
| Max. fall height | 6'8" |
| Safety surfacing area | 532ft² |
| Total installation time | 22.5 hours |
| Excavation volume | 1.14yd³ |
| Concrete volume | 0.13yd³ |
| Footing depth (standard) | 2'11" |
| Shipment weight | 1796lbs |
| Anchoring options | In-ground ✓ Surface ✓ |
| Warranty Information | |
| EcoCore HDPE | Lifetime |
| Hollow PE Parts | 10 Years |
| Post | 10 Years |
| PP Decks | 10 Years |
| Spare Parts Availability | 10 Years |



High-quality polycarbonate with a thickness of 15mm. The graphic prints are added by a unique multi-layer print process where the inner layer is the image and outer transparent layer functions as protection. Both PC panel and the water-based lacquer are UV stabilized to prevent fading.



The slides are available in either molded PE in different colors or in full stainless steel AISI304 t= 2mm.



The stainless steel activities are made of high quality stainless steel. The steel is glass blasted after manufacturing to ensure a smooth gliding surface.

| Elevated activities 5 | Accessible elevated activities | Accessible ground level activities | Accessible ground level play types |
|-----------------------|--------------------------------|------------------------------------|------------------------------------|
| Present | 5 | 3 | 2 |
| Required | 3 | 2 | 2 |

**ASTM
F1487**
compliant

Sustainability Data

PCM51531



| Cradle to Gate A1-A3 | Total CO ₂ emission | CO ₂ e/kg | Recycled materials |
|----------------------|--------------------------------|-------------------------|--------------------|
| | kg CO ₂ e | kg CO ₂ e/kg | % |
| PCM51531-0903 | 1,792.76 | 2.58 | 55.74 |

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

KOMPAN
Let's play

Kompan A/S

C.F. Tietgens Boulevard 32C
DK-5220 Odense SØ
Denmark



Verification of CO₂ calculation of: Play systems



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Play systems" represented by item no.: PCM200321-0950.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000




Barn

PCM51531




* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



PCM51531
* 6'-8" / 204cm
** 11'-1" / 338cm
*** 530.7ft² / 49.4m²



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)