PCM104131





Item no. PCM104131-0901

General Product Information

Dimensions LxWxH 358x322x290 cm
Age group 2+
Play capacity (users) 24
Colour options



The Sand Gravel Pit is an immensely attractive sand play unit that will absorbe children in play for hours and hours. The crane is worked by pulling the chain. The sand bucket will go up or down or all around, but it will stay put when the chain is let go of. This, apart from providing fascinating sand play, is a great training of children's logical thinking skills. The negotiation

and cooperation to get sand to and from the funnel via the buckets or sand scoops is great for older children and develops social-emotional skills. In the house, multiple tactile elements can be moved to entertain children who wait for the sand crane. The sand funnel here supports children's understanding of object permanence: that things can still exist

when out of sight. The platform is open and can be accessed in multiple ways, allowing for all users to play. And on the side, a somersault bar takes care of any surplus energy needed to be burnt.





PCM104131









#### Sand bucket

Physical: cross coordination thereby developing cooperation of left and right brain half which is necessary for academic skills such as reading. Cognitive: understanding of object permanence, emptying and filling bucket.








Cognitive: the turning sand wheel stimulates cause and effect understanding.











Play sphere

different positions.



Social-Emotional: can be played from both

sides, encouraging cooperation. Cognitive:

cause and effect understanding. Creative:

leave a mark and place the spheres at









Sand scoops



Physical: hand eye coordination and push-

pull movements. Social-Emotional: invites

provides for parallel play. Cognitive: logical

cooperation due to the two-sidedness and

thinking: cause and effect understanding

when running scoops in grooves or shifting

shifting scoops, creating new scoop positions.


materials from scoop to scoop. Creative:

















Social-Emotional: trains cooperation and turn-taking as children put materials into the funnel. Cognitive: the passing of materials through funnels supports the children's logical thinking and for younger children the understanding of object permanence: that materials don't vanish but run through at the other end.



PCM104131



10 years

10 years

10 years

10 years



Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.



Main posts with hot dip galvanized steel footing are available in different materials: Pressure impregnated pine wood posts. Pre-galvanized inside and outside with powder coated top finish steel posts. Lead free aluminum with color anodized top finish. Greenline TexMade posts of 95% post-consumer recycled PE and textile waste.



All decks are supported by unique designed low-carbon aluminum profiles with multiple attachment options. The grey colored molded decks are made of 75% post-consumer waste PP material with a non-skid pattern and texture surface.



Post


PP Decks

Solid plastic parts

Spare parts guaranteed

Max. fall height 88 cm Safety surfacing area 28.6 m<sup>2</sup> Total installation time 19.4 Excavation volume  $0.33 \text{ m}^3$ Concrete volume  $0.04 \text{ m}^3$ Footing depth (standard) 90 cm Shipment weight 572 kg Anchoring options In-ground Surface **Warranty Information** FcoCore HDPF Lifetime

Item no. PCM104131-0901
Installation Information



The sand hoist is designed with upper and lower EcoCore tracks of large diameter that always ensures safe distance between the chains so they cant be crossed for entanglement. The chain is made of high-quality stainless-steel to ensure long durability of the product.



The sand bucket is made in one piece of molded PE. The PE is made with 33% post-consumer materials in different colors with a wall thickness of minimum 5mm. Material in accordance with the European Standard EN 71-3 and tested for UV stability.



KOMPAN GreenLine versions are designed with ultimate environmentally friendly materials with lowest possible CO2e emission factor. TexMade post, EcoCoreTM panels of 95% post-consumer recycled waste and molded PP decks.



3 / 09/05/2024 Data is subject to change without prior notice.

# **Sustainability Data**

PCM104131





Cradle to Gate A1-A3	Total CO <sub>2</sub> emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
PCM104131-0950	821.26	1.90	66.90
PCM104131-0901	1,014.16	2.55	57.27

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

#### Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



### Verification of CO<sub>2</sub> calculation of: Play systems



Data version no. 2023-10-05

The  $\mathrm{CO_2}$  calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Play systems" represented by item no.: PCM200321-0950.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of  ${\rm CO_2}$  calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000





PCM104131



\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height





Click to see SIDE VIEW

Click to see TOP VIEW