M87401





Item no. M87401-3617

General Product Information

Dimensions LxWxH 28x28x10 cm
Age group 2 - 12
Play capacity (users) 1
Colour options














functioning as a stopping-point or refuge in tag, the Earth is Lava, and numerous other children's games. Functioning as such, the Stepping Pod trains important socio-emotional skills such as turn-taking and empathy.



M87401







Sturdy rubber surface Physical: makes for a skid-resistant surface for jumping up and down, training muscle and motor skills and building bone density.





Stepping pod
Physical: young children learn how to
alternate feet and balance. These are
important for the proprioceptive and vestibular
systems that help children navigate the world
securely. Jumping down builds bone density
and muscles.

M87401





Stepping point is made of SBR rubber. It has good heat and abrasion resistance.

Item no. M87401-3617					
Installation Information					
Max. fall height	10	0 cm			
Safety surfacing area	12.	2 m²			
Total installation time		0.4			
Excavation volume	0.0	8 m³			
Concrete volume	0.0	3 m³			
Footing depth (standard)	60 cm				
Shipment weight	1	7 kg			
Anchoring options	In-ground 🗸				
	Surface	~			
Warranty Information					
Hot dip galvanised steel	Lifetime				
SBR rubber	2 years				
Spare parts guaranteed	10 years				

Elevated activities 0	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	0	1	1
Required	0	1	1



Sustainability Data

M87401





C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: GXY916012-3417.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

misi

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023





Cradle to Gate A1-A3	Total CO₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
M87401-3617	37.29	2.18	19.99


The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))





* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





Click to see SIDE VIEW