



Agora Picnic Backrest, Red

PAR4094



| | |
|-----------------------------|---|
| Item no. PAR4094-0001 | |
| General Product Information | |
| Dimensions LxWxH | 6'7"x1'4"x1'4" |
| Age group | - |
| Play capacity (users) | - |
| Color options |  |



The AGORA BACKREST MODULE is component for AGORA PICNIC, part of the award winning furniture line from KOMPAN. AGORA offers a high level of flexibility when it comes to anchoring, color and material options in order to inspire architectural creativity and to fit the site specific requirements for individual customer projects. AGORA comes in durable

and robust designs, and is manufactured in low maintenance materials to ensure long-lasting outdoor solutions with the lowest possible total cost of ownership.

Agora Picnic Backrest, Red

PAR4094



All boards are made of High Pressure Laminate HPL with a .7 in. thickness according to EN 438-6 and has a nonskid surface texture. The multilayer construction makes the boards durable and suited for outdoor use, with a high resistance to impacts, scratches, fire, water and humidity, as well as high UV stability.

The steel surfaces are hot dip galvanized inside and outside with lead free zinc. The galvanization has excellent corrosion resistance in outdoor environments and require low maintenance. Painted steel parts are hot dip galvanized before powder coating.

Powder coated top finish on top of galvanization is processed in two steps: Light grinding and clean sweeping, powder coating - thickness 70-120 µm.

| | |
|---------------------------------|-----------|
| Item no. PAR4094-0001 | |
| Installation Information | |
| Total installation time | 0.3 hours |
| Excavation volume | 0yd³ |
| Concrete volume | 0yd³ |
| Footing depth (standard) | 0'0" |
| Shipment weight | 48lbs |
| Anchoring options | |
| Warranty Information | |
| Hot dip galvanized steel | Lifetime |
| HPL | 15 Years |
| Painted toplayer | 10 Years |
| Spare Parts Availability | 10 Years |



Agora picnic tables are available in 5 different HPL colors for the boards and the steel option offers 9 additional color choices.




The standard available benches and tables can be dressed up with back support, armrests, tables etc. and linked together into tailored solutions for the individual location.



The hardware is made of stainless steel or galvanized steel to ensure a high corrosion-resistant, durable connection.

Sustainability Data


PAR4094



| Cradle to Gate A1-A3 | Total CO ₂ emission | CO ₂ e/kg | Recycled materials |
|----------------------|--------------------------------|-------------------------|--------------------|
| | kg CO ₂ e | kg CO ₂ e/kg | % |
| PAR4094-0001 | 39.70 | 2.37 | 18.23 |

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Verification of CO₂ calculation of: Park



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Park" represented by item no.: PAR4070-0001.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

Validation of CO₂ calculation method
BUREAU VERITAS
HSE Denmark A/S



By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000

